



2013 Product Brochure

Integrated by Design™

For more than 40 years Crestron has been the world's leading manufacturer of advanced control and automation systems providing complete integrated solutions to control digital AV networks, lighting, HVAC, security systems and more.

Today's commercial buildings contain more technology than ever before. Clients must now be able to manage anything with a network connection. To accomplish this, all of these systems must be networked, managed and controlled in a fundamentally new way. Crestron products are Integrated by Design™ to deliver complete building technology solutions. We enable global monitoring, management and control of AV, energy, voice & data, lighting, security, room scheduling, and HVAC on a single platform from a centralized dashboard.

Crestron's integrated enterprise solutions set the standards by which all others are measured. With the broadest line of hardware and software, Crestron's award-winning control and automation solutions are installed in the most prestigious Fortune 500 companies, universities, and government facilities in the world.

Crestron has 91 fully-staffed offices that provide sales support, technical support, and training across the globe. With 24X7X365 online and live customer support availability, global on-site field support, our three-tier coverage provides expert help for every situation. Locally, regionally and internationally, complete access to Crestron engineers and pre- and post-sales support specialists provides an extensive range of technical resources for rapid issue resolution anywhere in the world. Plus, take advantage of our professional in-house system designers to help you design even the most challenging projects. Guarantee the highest-performing implementations and eliminate compatibility issues before they arise.

10	DigitalMedia™
22	HDMI® Essentials
28	CaptureLiveHD™
30	3-Series™ Control Systems
39	Fusion™
44	Crestron Green Light®
66	Keypads & FlipTops
74	Touch Screens & Remotes
88	Crestron Mobile® & e-Control®
90	Crestron Studio™
92	DVPHD
94	Audio & Video Solutions

Transforming great ideas into great customer experiences

At Crestron, we don't just build products; we build automation and control solutions for buildings and homes. All of our products are designed, built and guaranteed to work together as a complete system, rather than a collection of unrelated parts housed in technology silos. Our solutions lower costs and boost efficiency. They provide greater comfort, convenience, and security.

Building the technology that integrates technology

The amount of technology in buildings and homes is rapidly growing and changing. The most significant change is that everything is now on the network: audio, video, voice, data, lighting, security, digital signage, Building Management Systems (BMS), shades, and heating & cooling systems. The design and implementation of these technologies, however, is typically done independently. As a result, each one operates on a separate platform, adding many layers of complexity and inefficiency.

Crestron builds the technology that integrates all of the disparate systems and devices in buildings and homes on a single open platform so they can communicate and work together intelligently. We provide the only solution that enables you to monitor, manage and control everything from one platform, anywhere, anytime, using touch screens, remotes, and smart devices.


Improving quality of life at home, at work, at school, at play

People wonder, "Isn't technology supposed to make my life simpler, instead of more complicated?"

Our award-winning solutions simplify and enhance the lives of millions of people every day, including world leaders, CEOs, teachers, office workers and homeowners. Our solutions are integral to the daily operations of nearly every Fortune 500 company, hundreds of universities, hotels, healthcare facilities, and government agencies.

Products that work together intelligently

Our products seamlessly integrate to manage and control all the technology in buildings and homes.



Growth through innovation: Industry firsts

You don't earn countless product innovation awards without great ideas, great people, great resources, and key partnerships. Our offices and research labs are home to hundreds of engineers and visionaries with a passion and relentless commitment to push the boundaries of what's possible.

We've cemented and extended our leadership position by forging deep, long-standing partnerships with the world's technology giants, such as Apple®, Cisco Systems®, Microsoft®, Intel® and Texas Instruments®, working together to conquer technology challenges.

1991

1st graphical programming
language and tool set

1993

1st color, video, computer
graphics touch screen

1995

1st RF wireless control
system - SmarTouch™

1998

1st IP-based control system

1999

1st Internet-based control
technology - e-Control®

2001

1st modular touch screen
control system - Isys®

2003

1st touch screen emulation
technology for PDA, Web
tablets, and computers -
e-Control 2

2010

1st single-wire digital/analog AV
transport technology over
CAT5e or fiber

2012

1st control and management
platform natively supporting
AV, SNMP and BACnet™ /IP

Global presence, local support

Crestron has offices in every major market and country around the globe. Each is fully staffed to provide sales, technical support and training, ensuring an identical customer experience wherever you are in the world.





Now more than ever, AV integrators and their customers need to be planning and upgrading to meet the digital age. Even today, Crestron® DigitalMedia™ remains **the only complete and proven solution for distributing and managing digital AV.**

There are many good reasons the federal government, the military, top universities, and the majority of Fortune 500 companies have all chosen Crestron DigitalMedia. Because it's proven itself in literally thousands of installations to deliver **an extremely stable, cost-effective, and scalable platform.** Because, with over 10,000 certified experts at Crestron and in the field, there is no comparable solution with better support anywhere. And, because **only DigitalMedia has the benefit of over six years of development and real world experience** to ensure a complete and reliable solution for every design challenge — simply and quickly.

DigitalMedia™ makes all your AV equipment work together seamlessly — regardless of brand or resolution or audio format — even those with difficult HDCP, CEC, or EDID schemes — and even sources with 3G-SDI, DisplayPort, SPDIF, VGA and analog outputs.

Only DM® offers **a full line of switchers, transmitters and receivers** to address any sized installation or configuration.

And, only DM enables distribution over **CAT5e, multimode fiber, and single-mode fiber** — **all on one fully integrated and scalable platform.**

The DM Advantage

- + Fastest switcher speeds
- + QuickSwitch HD®, Auto-Locking, and Distributed Scaling technologies
- + Advanced EDID configuration tools for simple configuration
- + Superior audio capabilities
- + 4K resolutions
- + Streaming output cards
- + Advanced HDCP Management for the distribution of more content
- + Complete conference and VTC room solutions
- + SNMP support on a Crestron platform



Crestron is pleased to announce that all of our **DM 8G+™ products support HDBaseT™ specifications**, ensuring interoperability with other HDBaseT products. HDBaseT technology affords the simplicity of HDMI® with the added benefit of extended wiring distances using ordinary CAT5e or Crestron DigitalMedia 8G™ cable. Via DM 8G+, **a third-party HDBaseT display device can be connected directly to the DigitalMedia system** without requiring a DM receiver.



Whether upgrading an existing analog AV system or planning for an entirely new digital infrastructure, there's only one choice — **Crestron by DigitalMedia.**

DigitalMedia™ Matrix Switchers — Totally Configurable, Totally Scalable, Total Integration!

Every AV system is different. Using Crestron DM® switchers, **you configure the switcher to meet *your* requirements** — not the other way around.

DigitalMedia switchers are the heart of every DM solution. From 4K resolutions, 3d to 2d video conversion, audio DSP and a full range of break-away audio functionality, DM switchers offer the most advanced AV signal distribution for today and tomorrow.

Fully scalable and modular, Crestron DM switchers can accommodate **any combination of digital and analog sources**, with the ability to **combine copper and fiber DM types on a single chassis**. A whopping 19 different input cards are now offered, including the **NEW! DMC-VGA VGA/RGB Input Card** featuring advanced analog video processing.



Routing AV signals is only the beginning. DM matrix switchers include an extensive set of enhancements to address every design challenge you're likely to encounter — **eliminating the need for thousands of dollars worth of extra interfaces and converters**. Rather than treating audio as an afterthought, DM switchers include audio embedding, de-embedding at the inputs *and* outputs, breakaway switching, and DSP down-mixing to enable **simultaneous surround sound and stereo audio from a single source**. Additionally, every input card — even analog — includes a dedicated HDMI output to pass the input signal through to a local AV processor or another switcher.

Private Network Mode dramatically simplifies deployment on a corporate or university LAN, effectively hiding all the DM devices from the outside world and requiring just a single IP address for the complete DM system.

NEW! SNMP Management through a 2-Series or 3-Series Control System™ offers major integration potential, affording customizable control of the complete DM network through third-party IT management software.

NEW! Improved EDID management provides fool-proof configuration of all your varied source components, displays and processors.

NEW! Live HD Streaming Output enables RTSP streaming to a computer, touch screen or other devices.



DM-MD 8X8, 16X16, & 32X32 DigitalMedia™ Switchers

- + Provide lossless HD AV signal routing over CAT5e or fiber
- + Integrate video, audio, networking, and control over one wire
- + Afford full matrix switching scalable from 8x8 to 32x32
- + **NEW!** Supports HDBaseT™ specifications
- + DM 8G+™ in/out supports 330 ft over CAT5e
- + DM 8G® Fiber in/out supports 1000 ft over multimode fiber
- + **NEW!** DM 8G SM in/out supports up to 7.5 miles (12 km) over single-mode fiber!
- + **NEW!** RTSP streaming output allows live HD streaming to computers, touch screens, and other devices
- + Modular input cards available for HDMI®, Displayport Multimode, DVI, VGA, 3G-SDI, RGB, SPDIF, analog video/audio, & all types of DM®
- + Output cards available for HDMI, analog audio, and all types of DM
- + QuickSwitch HD® switching and HDCP key management
- + **NEW!** Fool-proof EDID signal management
- + Integrated Gigabit Ethernet switch with
- + **NEW!** Private Network Mode
- + Full HD 1080p60 and UXGA/WUXGA
- + 3D, Deep Color, and high-bitrate 7.1 encoded audio
- + Simultaneous output of stereo and surround sound audio
- + Integrated device control via CEC, IR and RS-232
- + USB HID mouse and keyboard signal distribution
- + Available with internal redundant power supply

Large-Scale, Mission-Critical DM® Switching

For massive projects demanding ultimate reliability, the new DM-MD64X64 is configurable using 8-channel I/O blades and redundant power supplies. Everything from the I/O blades to the CPU, power supplies, and cooling fans can be replaced on the spot, minimizing or eliminating down-time in the unlikely event of a component failure.



NEW! DM-MD64X64 DigitalMedia™ Switcher

- + Modular design configurable in blades of 8 inputs or outputs
- + Full matrix switching scalable from 8x8 to 64x64
- + DM 8G+™, DM 8G® Fiber, DM 8G SM Fiber, and HDMI® I/O blades available
- + Supports HDBaseT™ specifications
- + Front panel 15" color touch screen for switcher setup and control
- + Front panel video preview
- + QuickSwitch HD® technology manages HDCP keys for fast, reliable switching
- + USB HID signal routing
- + Integrated Ethernet switch with dual Gigabit LAN ports
- + Easy setup and diagnostics tools via front panel or web browser
- + Onboard hot-swappable redundant power supplies and fan tray
- + Cold-swappable CPU
- + Fault monitoring and notification via front panel and network
- + 14U 19-inch rack-mountable

Easy, Affordable HD Distribution over one CAT5e

These DigitalMedia™ Distribution Centers allow any small office, school, bar or restaurant to implement **a professional-grade digital AV solution within any budget**. Featuring DigitalMedia 8G+™ technology, these simple switchers deliver **ultra-reliable, ultra high-bandwidth signal routing over inexpensive CAT5e wiring**, compatible with DM 8G+™ receivers and HDBaseT™ display devices.



DM-MD 6X4 & 6X6

DigitalMedia™ Distribution Centers

- + Low-cost, high-performance multiroom HD AV signal routing
- + True one-wire solution using DigitalMedia 8G+™ technology
- + **NEW!** Supports HDBaseT™ specifications
- + Distributes uncompressed digital AV over CAT5e
- + Provides DM 8G+™ outputs for 3 or 5 remote displays
- + Allows up to 330 ft (100 m) wire distance to each display
- + Single HDMI® output for a local display or audio processor
- + Six HDMI inputs for HDMI, DVI, or DisplayPort Multimode
- + Handles HD 1080p60 and UXGA/WUXGA resolutions
- + Handles 3D, Deep Color, and high-bitrate 7.1 encoded audio
- + QuickSwitch HD® technology for fast, reliable switching
- + Performs automatic AV signal format management via EDID
- + Enables device control via CEC
- + Enables USB HID mouse and keyboard signal extension
- + Includes integrated Ethernet switch
- + Provides Power over DM® for compatible receivers
- + Easy setup and diagnostics via front panel or software
- + Includes built-in universal power supply
- + Native Crestron system integration via Ethernet
- + Standard component width or 2-space rack-mountable

Coming soon! DM-MD128X128

A Fully-Integrated Multimedia Presentation Solution with No Equal

The DMPS-300-C has quickly proven a very popular choice for replacing older analog system switchers as well as providing a future-proof solution for new installations. The DMPS-300-C integrates **high-definition digital and analog AV signal distribution** with built-in automatic mic mixing, matrix switching, speaker amplification and DSP, plus **DM 8G+™ connectivity** and a full-featured Crestron control system. The result is the world's most advanced all-in-one digital presentation solution at a fraction of the cost of less robust alternatives.



DMPS-300-C

DigitalMedia™ Presentation System 300

- ✦ High-Definition multimedia system switcher, mic mixer, audio DSP, amplifier, and control system
- ✦ Integrated DigitalMedia™ switcher featuring DM 8G+™ technology
- ✦ **NEW!** Supports HDBaseT™ specifications
- ✦ Matrix signal routing for up to 7 simultaneous sources and 4 displays
- ✦ Advanced HDCP management enables seamless integration with HD lecture capture devices
- ✦ Handles HDMI, DVI, DisplayPort Multimode, and SPDIF digital sources
- ✦ Handles RGB, composite, S-Video, component, and stereo audio analog sources
- ✦ Features auto-detecting, auto-switching inputs for all types of video and audio sources
- ✦ Includes built-in 6-channel gated microphone mixing w/DSP
- ✦ Affords versatile audio signal mixing and routing to 7 separate outputs
- ✦ Allows audio-follow-video or breakaway switching for all inputs

- ✦ Enables HDMI audio signal extraction and embedding
- ✦ Provides 3 stereo analog outputs with independent DSP per output
- ✦ Features built-in 40 Watt amplifier, selectable for 8 Ohm stereo or 70/100 Volt mono
- ✦ Multi-channel PCM, Dolby®, and DTS® audio signals can be routed to the HDMI and DM 8G+ outputs
- ✦ DigitalMedia 8G+™ connectivity affords single-wire CAT5e interface for remote sources and displays
- ✦ Furnishes Power over DM for PoDM-powered devices
- ✦ QuickSwitch HD® technology manages HDCP keys for fast, reliable switching
- ✦ Performs automatic AV signal format management via EDID
- ✦ Scaler options provide discrete image optimization for each display device
- ✦ Private Network Mode — requires just two IP addresses for the complete DM system
- ✦ 2-Series control system provides fully-programmable device control
- ✦ Supports Crestron® touch screens, keypads, and wireless remotes
- ✦ Supports Crestron Mobile®, e-Control®, Fusion RV™, and RoomView® applications
- ✦ Provides easy setup and diagnostics via front panel or software
- ✦ Internal universal power supply for worldwide compatibility
- ✦ 3-space 19-inch rack-mountable



New DigitalMedia Presentation Systems

To meet a variety of demanding requirements, budgets, and applications, the popular DigitalMedia™ Presentation System has expanded into a complete family of all-in-one presentation solutions.

DMPS-100-C and DMPS-200-C offer the same feature-rich presentation experience for smaller rooms at a budget-friendlier price. DMPS-100-C provides 4x1 switching, ideal for smaller single-display environments. DMPS-200-C offers 6x2 matrix switching, perfect for dual projector applications.

DMPS-300-C-AEC adds **full-bandwidth acoustic echo cancellation** to each of its six microphone inputs, providing **a complete, integrated solution for audio and video teleconferencing applications**. DMPS-300-C-AEC integrates cleanly with any VTC codec and supports multiple displays for a total videoconferencing solution.



NEW! DMPS-100-C

DigitalMedia™ Presentation System 100

- ✦ Single video output with parallel HDMI® and DM 8G+™ ports
- ✦ Supports HDBaseT™ specifications
- ✦ Two stereo analog outputs with independent DSP per output
- ✦ Built-in 40 Watt amplifier, selectable for 8 Ohm stereo or 70/100 Volt mono
- ✦ One fewer HDMI and analog audio inputs than the DMPS-300-C
- ✦ 2-channel gated microphone mixing w/DSP
- ✦ Integrated 2-Series control system
- ✦ 3-space 19-inch rack-mountable



NEW! DMPS-200-C

DigitalMedia™ Presentation System 200

- ✦ Independent HDMI® and DM 8G+™ outputs
- ✦ Supports HDBaseT™ specifications
- ✦ Three stereo analog outputs with independent DSP per output
- ✦ Built-in 40 Watt amplifier, selectable for 8 Ohm stereo or 70/100 Volt mono
- ✦ Same HDMI and analog inputs as the DMPS-300-C
- ✦ One DM 8G+ input
- ✦ 4-channel gated microphone mixing w/DSP
- ✦ Integrated 2-Series control system
- ✦ 3-space 19-inch rack-mountable



NEW! DMPS-300-C-AEC

DigitalMedia™ Presentation System 300 w/AEC

All the features of the DMPS-300-C plus:

- ✦ Full-bandwidth Acoustic Echo Cancellation on all mic inputs

Go the Distance with DigitalMedia 8G™ over Copper or Fiber



Crestron now offers three main types of DM 8G® for interfacing DigitalMedia devices — **DM 8G+™**, **DM 8G® Fiber**, and **DM 8G SM Fiber**. All three types handle high-bandwidth HD AV signals with full support for HDCP, CEC, and 3D video, plus HD multichannel audio formats like Dolby® TrueHD and DTS-HD Master Audio™.

DM 8G+ affords a **true one-wire transport for moving high-definition video, audio, and Ethernet over low-cost twisted-pair cable**. Using simple CAT5e wire, DM 8G+ achieves ultra high-bandwidth over distances of up to 330 ft (100 m), and is designed using HDBaseT™ specifications.



DM 8G Fiber uses a single strand of multimode fiber to transport signals up to 1000 ft (300 m), while **NEW! DM 8G SM Fiber** uses single-mode fiber to attain **wiring distances up to 7.5 miles (12 km)!**

DigitalMedia 8G™ Transmitters & Receivers

Crestron offers an ever growing line of compact transmitters and receivers in all three types of DM 8G®, providing **the industry's most flexible and scalable platform** for interfacing with remote computers, AV sources and display devices — whether they're several feet or several miles away.

The **NEW! DM-TX-401-C, DM-TX-401-S, and DM-TX-401-S2** each offer a **portable or rack-mountable transmitter solution** for integrating a wide variety of sources with built-in auto-switching, IR/RS-232 device control and a choice of DM type.



NEW! DM-TX-401-C,
NEW! DM-TX-401-S, &
NEW! DM-TX-401-S2



DM-TX-201-C,
DM-TX-201-S, &
NEW! DM-TX-201-S2



DM-TX-200-C-2G

DigitalMedia 8G™ Transmitters

- ✦ Options for portable, surface-mount, wall plate, and rack mount applications
- ✦ Available inputs for HDMI®, DisplayPort, VGA, and analog sources
- ✦ Built-in auto-switching makes setup and operation a breeze
- ✦ HDMI audio embedding enables combining digital video with analog audio sources
- ✦ Most models include 10/100 Ethernet and USB HID ports
- ✦ Ideal for use with Crestron FlipTop™ boxes
- ✦ Models available with DM 8G+™, DM 8G® Fiber, or DM 8G SM Fiber connectivity

DigitalMedia 8G™ Receivers

- ✦ All models feature HDMI® display output, 10/100 Ethernet and IR/RS-232 control ports
- ✦ Professional-quality HD scalars afford extremely easy setup, flexible configuration and ultra reliable operation
- ✦ Other options include built-in audio amplifiers, relay/digital input control ports, USB HID ports and video wall processing
- ✦ Low-profile design hides discreetly behind most display devices
- ✦ Models available with DM 8G+™, DM 8G® Fiber, or DM 8G SM Fiber connectivity

Please see the Crestron Website for more information and additional DM transmitter/receiver models.



DM-RMC-SCALER-C,
NEW! DM-RMC-SCALER-S, &
NEW! DM-RMC-SCALER-S2



DM-RMC-200-C,
NEW! DM-RMC-200-S, &
NEW! DM-RMC-200-S2



DM-RMC-150-S



DM-RMC-100-C &
DM-RMC-100-S

HDMI® Switching You Can Rely On

Crestron QuickSwitch HD® switchers deliver **fast, trouble-free switching of HDMI signals** with numerous advanced features for routing and managing multiple digital multimedia signals.



HD-MD8X2

HD-MD 8X1 & 8X2

QuickSwitch HD® HDMI® Switchers

- + QuickSwitch HD® switching technology
- + Supports HDMI® w/Deep Color, 3D, and high-bitrate 7.1 audio
- + Compatible with DVI and DisplayPort Multimode
- + Supports video resolutions up to HD 1080p60 and UXGA/WUXGA
- + Detects and reports detailed video and audio input information
- + Manages HDCP digital rights management for connected devices
- + Performs automatic AV signal format management via EDID
- + Includes front panel controls with security lockout
- + Allows audio breakaway switching
- + Simple setup and diagnostics via software
- + Native control system integration via Ethernet or Cresnet®
- + Simple input expansion for DigitalMedia™ systems
- + Single-space 19-inch rack-mountable

Universal HD Scaler

The HD-SCALER makes it easy to add a high-performance video scaler to any HDMI® or DVI display to accommodate a variety of sources and ensure compatibility with a wide range of input resolutions. With both HDMI and analog inputs plus built-in 2x1 switching, the HD-SCALER provides **a perfect problem solver for upgrading legacy systems** and interfacing with videoconferencing codecs.



HD-SCALER High-Definition Video Scaler

- + Compact, low-profile surface mount design
- + Automatically scales any input signal to match any display
- + Supports resolutions up to HD 1080p and UXGA/WUXGA
- + Performs deinterlacing of NTSC, PAL, and 1080i sources
- + Handles HDMI® signals with HDCP
- + Supports analog video and computer sources
- + Allows advanced management of EDID
- + Allows adjustable overscan and underscan up to 7.5%
- + Auto-switches between digital and analog sources
- + Handles 7.1 digital audio and analog stereo audio
- + Allows embedding of analog audio to HDMI
- + Setup via on-screen display using IR wireless remote
- + Built-in test patterns
- + Cresnet® control system integration
- + Provides a powerful portable diagnostic tool for any video setup

HDMI® over Fiber Extenders

HDMI over Fiber technology by Crestron affords **reliable, high-performance digital AV signal extension over long distances**, handling high-definition digital video and audio, analog audio, Ethernet, HID, and control signals all over one fiber strand.



HD-TX1-F & HD-RX1-F

HDMI® over Fiber Transmitter and Receiver

- ✦ Extends uncompressed digital AV and control signals 1000 ft (300 m) over simplex multimode fiber
- ✦ Supports HDMI with Deep Color, DVI, and DisplayPort Multimode
- ✦ Supports 7.1 channel lossless audio up to 48 kHz
- ✦ Handles resolutions up to 1920x1200 and 1080p60
- ✦ Passes CEC, EDID and HDCP
- ✦ Includes universal IR repeater
- ✦ Extends bidirectional RS-232
- ✦ Provides electrical isolation for outdoor runs
- ✦ Affords a hidden wiring solution using CresFiber® CLEAR Fiber Optic Cable



HD-TX3-F & HD-RX3-F

HDMI® over Fiber Transmitter and Receiver

All the features of the HD-TX1-F and HD-RX1-F plus:

- ✦ Adds Ethernet, USB HID, and analog audio signal extension

HDMI® over Twisted Pair Extenders

When you just need to get an HDMI signal from one end of the building to the other, Crestron HDMI over Twisted Pair Extenders provide **a professional-grade solution that's incredibly simple and ultra-reliable**.



HD-EXT1-C

HDMI® over Shielded Twisted Pair Extender

- ✦ Extends uncompressed digital AV and control signals 330 ft (100 m)
- ✦ **NEW!** Supports HDBaseT™ specifications
- ✦ Works reliably without any programming or configuration
- ✦ Supports HDMI with Deep Color and 3D
- ✦ Supports 7.1 channel HD lossless audio
- ✦ Compatible with DVI and DisplayPort Multimode
- ✦ Handles resolutions up to 1920x1200 and 1080p60
- ✦ Passes CEC, EDID and HDCP
- ✦ Includes universal IR repeater
- ✦ Extends bidirectional RS-232



HD-EXT2-C

HDMI® over Shielded Twisted Pair Extender

All the features of the HD-EXT1-C plus:

- ✦ Adds stereo analog audio extension via a second cable

HDMI® Problem Solver

Need to feed two displays from one HDMI source? Or, split an HDMI signal between a display and a surround sound processor? Need to break out the HDMI audio signal and convert it to SPDIF or analog? Or, merge separate digital audio and video sources into one HDMI stream? Not a problem...just use the HD-DA-2.



HD-DA-2 1-to-2 HDMI® Distribution Amplifier & Audio Converter

- + One in, two out HDMI signal splitter
- + Extracts analog and SPDIF audio from HDMI
- + Embeds SPDIF audio onto HDMI
- + Merges DVI and SPDIF into one HDMI signal
- + Supports HD 1080p w/Deep Color, 3D, and 7.1 HD audio
- + Allows configuration of audio EDID and HDCP key handling
- + No programming or control system required

Easy, Affordable, End-to-End HD Capture



NEW! CaptureLiveHD™ delivers **high-definition capture of meetings and lectures** with easy, out of the box setup and the lowest cost of ownership on the market. Incredibly simple to use, CaptureLiveHD is an ideal choice for any learning

institution or corporate enterprise that needs to capture classes and presentations for use in online education, training, or other purposes. A complete CaptureLiveHD system provides **a scalable end-to-end solution for scheduling, recording, and online delivery** of captured content.

The CaptureLiveHD solution includes a Crestron Capture HD® recorder in every room, all managed by Fusion RV™ Remote Asset Management Software. CaptureLiveHD leverages Fusion RV™ software to deliver **a total workflow engine for moving recorded content seamlessly through the entire process** from capture to consumption with minimal human effort.



- + A complete end-to-end meeting and lecture capture solution
- + Allows full-motion capture in high-definition 1080p
- + Streams and records
- + Lowest cost of ownership
- + Easy, efficient scheduling, recording, and online delivery
- + Simple enough for the entire faculty to use
- + Scalable to fit any college, government, or corporate workflow
- + Captures complete AV presentation with live video of the presenter
- + Provides content for online courses, on-demand lesson review, corporate marketing and training, and archiving
- + Enables seamless online viewing using computers and mobile devices
- + Simple integration with open source media sites

(Continued)

Capture HD® Capture Recorder

The CAPTURE-HD device provides a very simple, one-box component for capturing lectures, presentations, medical procedures, seminars, and training sessions. It is **designed for easy integration in a classroom, lecture hall, training lab, or boardroom**, allowing presenters and instructors to use their choice of multimedia sources, including high-definition videos, computers, whiteboards, and annotators.

Without requiring any special training or extra effort from the presenter, the CAPTURE-HD-PRO **records the complete presentation in full-motion HD 1080p or 720p** and uploads it to a network server for publishing. Full control of the CAPTURE-HD is facilitated using the optional touch screen controller or through integration with a Crestron control system.

NEW! The CAPTURE-HD-PRO can also stream presentations, lectures, and training sessions live to a touch screen, computer, mobile device, or third-party streaming server.



NEW! CAPTURE-HD-PRO

Capture HD® High-Definition Capture Recorder

- ✦ Delivers a low-cost, high-performance HD presentation capture solution
- ✦ Designed for college, university, teaching hospital, government and business applications
- ✦ Records the complete AV presentation, classroom lecture, or training session in high-definition 1080p resolution
- ✦ Allows live streaming via RTSP to any device or server
- ✦ Extremely easy to use and flexible enough to fit any workflow model
- ✦ Works with Crestron® Fusion RV™ software for a total workflow engine
- ✦ Integrates easily into existing AV presentation systems and networks
- ✦ Provides inputs for high-definition digital and analog AV sources

- ✦ Built-in scaling ensures compatibility with a full range of sources
- ✦ Provides a composite video input for the presenter's camera
- ✦ High-definition 3G-SDI camera input
- ✦ Includes local AV output for confidence monitoring or presentation pass-thru
- ✦ Allows Crestron control system integration via Ethernet
- ✦ Gigabit Ethernet enables high transfer rates for uploading of HD media files
- ✦ Single-space 19" rack-mountable

Touch Screen Capture Controller

Capturing lectures and meetings is a breeze using the CAPTURE-TPMC-4SM Touch Screen Controller. The presenter need only follow the prompts on the touch screen to **easily start and stop a recording, pause or mute the recording and add bookmarks** during the session, and make very basic adjustments when needed. The touch screen can also display a live view of the presenter's camera and a microphone level meter for an extra level of confidence.



Crestron Media Player

CaptureLiveHD videos are viewed online through the Crestron Media Player, a Web-based streaming video player that **runs seamlessly on virtually any computer, tablet, or smart phone**. The Crestron Media Player delivers **a consistent user experience across all platforms** without having to install or launch any special software. In addition to online streaming, files may also be published as downloadable MP4 files, allowing offline viewing through a third-party media player application.

3-Series™ Control Systems

Integrated by Design™ At It's Core



Creston 3-Series Control Systems form the core of any modern building, integrating and managing all the disparate technologies throughout the facility to **increase productivity, efficiency and convenience, and reduce operational costs.**

Built around our innovative Core 3 OS™ control engine, 3-Series Control Systems are engineered from the ground up to deliver a network-grade server appliance capable of faithfully handling **everything from boardroom AV to total building management.** 3-Series embodies a distinctively robust, dynamic, and secure platform to **elevate your system designs to higher levels of performance and reliability.** Compared to other control systems, 3-Series provides **a pronounced increase in processing power and speed** with more memory, rock solid networking and IP control, and a unique **modular programming architecture.**

A total of six 3-Series Control System™ models are offered. It all started with the MC3, which now features **built-in OSD control capability.** The rack-mountable CP3 gets three new siblings: the CP3N, AV3, and PRO3. Finally, **the TPCS-4SMD combines a 3-Series control processor and touch screen controller in one,** affording complete room control at an incredible price — and no equipment rack required!

PRO3 — The New Flagship

The PRO3 sets the **new standard for control system performance and functionality.** Creston veterans will find its appearance familiar, taking many of its exterior cues from the faithful PRO2. But underneath the hood, it's a whole new ball game featuring the mega-accelerated performance of the Core 3 OS engine, a color LCD front panel, and the new Control Subnet port providing **a dedicated Gigabit Ethernet network just for Creston devices.**

NEW! PRO3 3-Series Control System™

- + Next generation control system
- + Substantially faster and more powerful than other control systems
- + Exclusive modular programming architecture
- + Native BACnet®/IP support for direct interface to third-party building management systems over Ethernet
- + Built-in SNMP support for integration with third-party network management software



- + Vector floating point coprocessor
- + Onboard 1GB RAM & 4GB Flash memory
- + Expandable storage up to 1TB
- + Rear panel MMC memory card slot
- + High-speed USB 2.0 host port
- + Control Subnet — provides a dedicated local network for Creston® devices
- + Onboard e-Control® Web server
- + Supports Core 3 UI™ XPanel Web-based remote control
- + Supports Creston Mobile® control apps for iPhone®, iPad® and Android™
- + Supports Fusion RV™ and SNMP remote management
- + Two RS-232/422/485 COM ports with hardware and software handshaking
- + Four RS-232 COM ports with software handshaking only
- + 8 IR/serial, 8 relay, and 8 Versiport I/O ports
- + Three built-in 3-Series™ control card expansion slots
- + Installer setup via front panel, Creston Toolbox™ or Internet Explorer®
- + Backwards compatible to run existing SIMPL programs
- + Full Unicode (multi-language) support
- + Increased network throughput and security
- + Secure access though Active Directory integration or standalone account management
- + IIS v.6.0 Web Server
- + IPv6 ready
- + Front panel color LCD display for setup and diagnostics
- + Front panel USB computer console port
- + 2-space rack-mountable

3-Series™ Control Systems



NEW! AV3 3-Series Control System™

- + All the features and performance of the PRO3 without the color LCD display
- + 3-Series™ control card expansion slots are an add-on option



NEW! CP3N 3-Series Control System™

- + A more compact, lower-cost alternative to the PRO3 and AV3
- + 512MB RAM & 4GB Flash memory
- + Expandable storage up to 1TB
- + Rear panel MMC memory card slot
- + Cresnet, Gigabit Ethernet, and Control Subnet ports
- + One RS-232/422/485 COM port with hardware/software handshaking
- + Two RS-232 COM ports with software handshaking only
- + 8 IR/serial, 8 relay, and 8 Versiport I/O ports
- + No built-in control card expansion slots
- + Single-space rack-mountable



NEW! CP3 3-Series Control System™

- + All the features and performance of the CP3N without the Control Subnet port
- + 10/100 Ethernet LAN port

Easy System Expansion — It's in the Cards!

Adding control ports to any 3-Series Control System™ is easy using 3-Series™ Control Cards and Card Interfaces. Plug up to three control cards directly into an AV3 or PRO3, or use one or more 3-Series Card Interfaces to **add more COM ports, IR ports, relays, and Versiport I/O ports to any 3-Series Control System.**



NEW! CEN-CI3-1 3-Series™ Card Interface – 1 Slot

- + Accepts one 3-Series™ Control Card
- + Provides control port expansion for any 3-Series Control System™
- + Powerable via PoE or external power pack
- + Half-width, single-space rack-mountable



NEW! CEN-CI3-3 3-Series™ Card Interface – 3 Slots

- + Accepts up to three 3-Series™ Control Cards
- + Includes a built-in Gigabit Ethernet switch
- + External power pack included
- + Single-space rack-mountable



NEW! C3 Series 3-Series™ Control Cards

- + Plug-in control port expansion for CEN-CI3-1, CEN-CI3-3, AV3 and PRO3
- + Models available with COM, IR, relay, or Versiport I/O ports

3-Series™ Control Systems

PoE with Ethernet

Imagine **the simplicity of Cresnet with the bandwidth of Ethernet**. It's available today from Crestron through an ever-expanding line of touch screens and other devices utilizing high-speed Ethernet connectivity with PoE (Power over Ethernet). Ethernet with PoE means **total connectivity over one wire**. Configuring a Crestron network of PoE devices is streamlined using any of our PoE Switches and Injectors.



NEW! CEN-SWPOE-16

16-Port Managed PoE Switch

- ✦ All ports 1000Base-T Gigabit Ethernet
- ✦ Provides full PoE on all ports simultaneously
- ✦ Also supports 802.3at PoE+ powered devices
- ✦ Up to 34.2W per port, 255W total
- ✦ PoE switchable per port via a control system
- ✦ Auto-negotiating and auto MDI/MDIX
- ✦ Layer 2 managed switching functionality
- ✦ LLDP (Link Layer Discovery Protocol) support
- ✦ Customizable front panel labeling
- ✦ AV friendly, single-space rack-mount design



PWE-4803RU PoE Injector

- ✦ Powers a single PoE powered device
- ✦ Up to 16.8W IEEE 802.3af PoE
- ✦ Compact design, installs anywhere



CEN-SWPOE-24 24-Port Managed PoE Switch

- ✦ 24 10Base-T/100Base-TX Ethernet ports
- ✦ Dual Gigabit Ethernet uplink/stacking ports
- ✦ Provides full IEEE 802.3af PoE on all ports simultaneously
- ✦ Auto-negotiating and auto MDI/MDIX
- ✦ Web browser configuration
- ✦ SNMP monitoring and management
- ✦ Layer 2 managed switching functionality
- ✦ Customizable front panel labeling
- ✦ AV friendly, 2-space rack-mount design



CEN-SW-POE-5 5-Port PoE Switch

- ✦ Four 10/100 ports plus uplink
- ✦ 802.3af PoE on all 4 ports
- ✦ Convenient surface-mount form factor

3-Series™ Control Systems

Touch Screen Control — No Rack Required!

The new TPCS-4SM harnesses all the power of Core 3™ to provide **a complete touch screen control system in one compact wall mount device**. Perfect for single rooms, townhouses, MDUs and hotels, the TPCS-4SM offers **a total control solution in one low-cost, space-saving design**.



NEW! TPCS-4SM

4.3" Touch Screen Control System

- ✦ 3-Series™ control processor
- ✦ 4.3" touch screen — powered by Core 3 UI™
- ✦ Runs a single control system program
- ✦ Onboard 10/100 Ethernet and Cresnet® master ports
- ✦ Control port expansion via C2N-IO module
- ✦ Supports up to 10 Ethernet and 10 Cresnet devices including touch screens, keypads, thermostats, dimmers, sensors and other peripherals
- ✦ Supports a single infiNET EX® gateway
- ✦ Supports Core 3 UI™ XPanel Web-based remote control
- ✦ Supports one mobile device running Crestron Mobile Pro®
- ✦ Supports Fusion RV™ and SNMP remote management
- ✦ WAV file customizable audio feedback
- ✦ Built-in proximity sensor
- ✦ 10 optional "hard key" pushbuttons
- ✦ Dual-color red/green LED button backlighting and feedback
- ✦ Also available with white LEDs (model TPCS-4SMD)
- ✦ Custom engravable button text
- ✦ PoE network powered
- ✦ Compatible with all TPMC-4SM wall, surface, and tabletop mounting options
- ✦ Available with black or white smooth finish



NEW! C2N-IO Control Port Expansion Module

- ✦ Mounts within the wall box behind the TPCS-4SM
- ✦ Provides 1 RS-232, 1 IR/serial, and 2 relay ports
- ✦ Compatible with any Crestron 2-Series or 3-Series® control system
- ✦ Interfaces via Cresnet® control buss
- ✦ 24VDC Cresnet powered
- ✦ Surface mount bracket included

On-Screen Display Control

The MC3 offers a 3-Series Control System™ in a compact form factor with several special features including onboard audio file playback and **integrated infiNET EX® wireless gateway**.

NEW! OSD (On-Screen Display) enables control through any TV or video display using customizable scrolling menus, full-color icons, bar graphs, and metadata.



MC3 3-Series Control System™

- + Core 3 OS™ control engine
- + Modular programming architecture
- + Vector floating point coprocessor
- + Onboard 256MB RAM & 2GB Flash memory
- + Expandable storage up to 1TB
- + Integrated infiNET EX® wireless gateway
- + Industry-standard Ethernet and Cresnet® wired communications
- + Available RF and IR control options
- + **NEW!** Customizable OSD user interface
- + Component and composite video outputs
- + WAV, MP3, and WMA audio file playback
- + Built-in IR, COM, relay, and digital input ports
- + High-speed USB 2.0 host ports
- + On-screen installation setup
- + Installer setup via Crestron Toolbox™ or Internet Explorer®
- + **NEW!** Secure access through Active Directory integration
- + EMerge Alliance® Registered

Enterprise Management Platform

From a single platform, Crestron Fusion™ enables organizations to **monitor and manage AV resources, environmental systems, and energy consumption** for one building or an entire global enterprise. Creating an efficient work environment that meets today's requirements for **managing assets and energy usage requires a wholistic view of every building, every room, and every device**. Crestron Fusion delivers the only fault tolerant, enterprise-scalable building technology automation support software that saves energy and improves productivity by intelligently integrating with building occupants.



There's only one way to achieve meaningful, measurable reductions in energy consumption while improving the productivity of workers at the same time: **integrate all building systems on a single intelligent platform**. Using Crestron Fusion, organizations can now benchmark use of their building technology - so they can actually optimize their facilities and energy use. A Crestron Integrated by Design™ solution featuring Crestron Fusion **unifies all the technology in the building to increase efficiency, productivity, and energy savings**. Only Crestron provides everything needed — all the hardware, software, engineering, and design expertise — to integrate commercial lighting control, HVAC, AV, IT, BMS, shading, and security — all under one unified platform — **Crestron Fusion**.

(Continued)

Fusion RV™

Also known as Fusion RoomView®, Fusion RV lets corporations, universities, hotels, and government agencies seamlessly monitor and manage meeting rooms, classrooms, lecture halls, and video conferencing rooms to **maximize efficient room usage and availability**. With minimal effort or overhead, AV staff can easily view the status of rooms, projectors, and other assets from the web-based user interface, **provide real-time remote assistance with the built-in help desk**, track usage and generate reports, and receive email alerts when any equipment requires service. Built-in room scheduling lets users **view schedules and book rooms from any computer — or right from a touch screen** conveniently located outside each room.



Fusion RV also provides the **workflow engine for CaptureLiveHD™** to deliver a total, streamlined solution for recording and distributing online classes, meetings, and presentations. Additional new features include the Crestron Fusion API for third-party developers and integration with popular hotel and hospitality applications.



Fusion RV™ Remote Asset Management Software

- + Convenient Web interface works on most browsers cross-platform including mobile devices
- + Monitor, manage, and schedule meeting rooms enterprise-wide
- + Schedule rooms via Microsoft® Exchange and Outlook®, Lotus Notes® and CollegeNet® R25®
- + View room status and book rooms on the spot using touch screens inside or outside of each room
- + Streamline the help desk with real-time remote assistance
- + Communicate directly through the room's touch screen using live chat or intercom
- + Receive instant e-mail notifications for equipment failure alerts and scheduled maintenance
- + Track and analyze device and room usage with robust reporting using built-in templates
- + **NEW!** Media management for Crestron® CaptureLiveHD™
- + **NEW!** Integrates with popular hotel and hospitality applications to enable automated hotel room setup upon guest check-in
- + **NEW!** Crestron Fusion API provides a Web service for the development of custom applications to interface with Fusion RV
- + Infinitely scalable to accommodate organizational growth
- + Direct database integration with Microsoft® SQL Server®
- + Fail-safe redundant server architecture for increased performance and extreme reliability
- + Simple, powerful tools for database administration
- + Pre-configured Fusion RV Server System available




Fusion EM™

Fusion EM Energy Management Software **measures, monitors, manages, and controls lighting, HVAC systems, and energy usage in every room and area of your building and campus**, all from the Fusion EM Web interface. Organizations can automate daily functions and schedule events such as temperature, shades and lighting level set points for rooms based on meeting schedules, global lighting and climate control for unoccupied spaces, and demand response settings when needed to quickly reduce energy consumption. Fusion EM integrates with building management systems and monitors historical and real-time energy usage from a centralized dashboard.



Fusion EM enables organizations to **make intelligent and informed energy saving decisions**. As part of a complete Crestron Green Light® integrated power metering and lighting control solution, **Fusion EM delivers accurate measurement, monitoring, and management of all energy sources**, from individual lighting fixtures to complete sustainable energy solutions for an entire building or campus.



NEW! Fusion EM™ Energy Management Software

- ✦ Track real-time energy usage
- ✦ View historical energy consumption for day, week, month or year
- ✦ Control lighting levels, shades, and climate in real time
- ✦ Define pre-meeting temperature set points, lighting and shade levels based on schedule in Fusion RV, Microsoft® Exchange and Outlook®, Lotus Notes® and CollegeNet™ R25®
- ✦ Change settings for occupied and unoccupied states
- ✦ Adjust demand response rules for lighting and HVAC
- ✦ Schedule end-of-day shutdown
- ✦ View at-a-glance room status for an entire facility
- ✦ Server-based scalable redundant architecture with load balancing
- ✦ Works with the GLS-EM-MCU Crestron Green Light® Power Meter Control Unit for tracking of actual energy consumption



Designing building management solutions that truly deliver on the promise to reduce energy consumption demands the use of **lighting, shade, and climate control products that can be accurately monitored, measured, and managed** in real-time under one platform. Crestron Green Light® encompasses a complete range of environmental control products engineered to provide **a total integrated solution for energy-efficient commercial buildings of every scale.**

3-Series™ Native BMS Interface

The MC3 3-Series Control System™ with BACnet®/IP support provides a scalable, IP-based platform for implementing fully-integrated building management and automation. Integrated control of lighting, shades, HVAC, AV, BMS, security, IT, and other connected systems is now faster, simpler and more efficient than ever. **Built-in BACnet/IP support enables seamless integration with existing building management systems.** All systems run independently and communicate with each other on the same platform, creating a truly smart building.

Crestron 3-Series control systems also support other popular building management protocols including LonWorks® and ModBus®.

Reliable, Accurate Energy Measurement

As the old adage goes, you can't manage what you don't measure. We'll go one further: **you can't manage *reliably* what you don't measure *accurately*.**

The Crestron Green Light® Power Meter Control Unit (GLS-EM-MCU) measures both voltage and current at the incoming electrical service and individual branch circuits to **provide complete and accurate real-time data for use in assessing power usage** and employing energy-saving strategies. By design, the GLS-EM-MCU integrates with Fusion EM™ Energy Management Software to monitor and manage lighting and other devices throughout a building to **achieve real, meaningful control over energy consumption.**



NEW! GLS-EM-MCU Power Meter Control Unit

- ✦ Provides power metering across 3 phases (main legs)
- ✦ Compatible with 100-347 Volt, split and 3-phase systems
- ✦ Also allows power metering for up to 84 individual branch circuits
- ✦ Works with GLS-EM-CT and GLS-EM-CTI current transformers and interfaces
- ✦ Measures and logs RMS voltage, current, and active power
- ✦ Reports data to a control system and Fusion EM™ software
- ✦ Allows real-time power monitoring on a touch screen, computer, or mobile device
- ✦ Internal non-volatile memory reliably stores logged data

Control Every Light Source

The DALI® standard allows individual lighting fixtures in an open office or classroom to be controlled independently through simple low-voltage wiring. **Crestron Green Light solutions for DALI interfaces, ballasts, and software simplify DALI system commissioning and routine maintenance**, providing for easy setup of fixture addresses and groups, and making ballast replacements effortless.

DALI ballasts from Crestron provide architects, designers, engineers and building owners with **incredible flexibility in building and lighting design**, both in new construction and retrofits. DALI ballasts from Crestron are also significantly more efficient than standard fluorescent and electronic fluorescent ballasts. Optional **built-in power metering affords the ability to measure, monitor, and manage power at each light fixture**, making it easy to control utility costs by tracking real time energy usage.



DIN-DALI-2

GLB-DALI-T-1

GLB-DALI-T-1, GLB-DALI-T-2 & GLB-DALI-T-3 Crestron Green Light® Solutions for DALI Ballasts

- + Drive multiple lamp wattages from one ballast
- + Universal voltage support (120-277 VAC)
- + Flicker-free dimming from 1% to 100%
- + Energy efficiency class EE1=A1
- + Optional integrated power metering
- + Robust protection for long life
- + 40kHz operation reduces lamp flicker and prevents interference with infrared devices
- + Compatible with the Crestron DIN-DALI-2 or any standard DALI controller
- + Available single-lamp, 2-lamp and 3-lamp models
- + Most comprehensive, energy efficient ballast solution

DIN-DALI-2 2-Channel DALI Interface

- + Two independent DALI channels
- + Controls up to 64 ballasts per channel
- + Cresnet® or Ethernet communications
- + PoE or Cresnet powered
- + Integrated DALI power supply
- + Override input
- + Easy setup using Crestron commissioning software for DALI
- + 9M wide DIN rail mounting

EMerge Alliance® Low-Voltage Lighting Control

Leading the industry in this “emerging” technology, Crestron is proud to offer **the first available EMerge Alliance registered wireless dimmer** designed for use with the Armstrong® DC FlexZone™ Grid and other 24 Volt DC lighting systems. These dimmers require no special wiring, utilizing **infiNET EX® wireless technology** to link with a lighting control system. They also provide a direct interface for occupancy sensors and photocells as part of a complete energy management strategy.



NEW! CLC-1DIMFLV2EX-24V Wireless In-Ceiling 0-10V Dimmer for 24VDC Applications

- + Enables Crestron control of EMerge Alliance® registered fixtures
- + Compact design installs easily at the fixture
- + No special wiring — installs inline at the fixture
- + Provides two independently controlled 0-10V outputs
- + Includes inputs for a photocell and occupancy sensor
- + 2.5 Amp switched load capacity per channel
- + Ultra-reliable infiNET EX® wireless communication
- + Local controls for testing and maintenance
- + Controllable via standard momentary or maintained switch
- + Setup via on-board button or connected switch
- + Compatible with Armstrong® DC FlexZone™ Grid

Single Room Lighting Control – Packed with Power Saving Features

Crestron Green Light® Power Packs deliver **affordable room lighting control with the essential features for reducing energy usage**. Available with up to three channels of switching or 0-10V dimming, each GLPP model includes inputs for a photocell and occupancy sensor to control lighting levels automatically based on the amount of natural light and the presence of people in the room. The dimming models also include **built-in power monitoring to track energy usage in real time**, providing accurate metrics to assess real power savings.



GLPP Crestron Green Light® Power Packs

- + Works in 120 to 277VAC systems
- + 1, 2 and 3 channel models available
- + Switched and 0-10V dimming models available
- + Adaptive zero-cross switching for extended life
- + Supports lighting control based on room occupancy
- + Supports daylight harvesting
- + Real-time power monitoring on dimming models
- + Easy setup and operation via handheld remote
- + Supports up to two wall mount keypads
- + Easy keypad wiring using existing switch-loop wiring
- + Standalone operation, linkable to a central control system via Cresnet® (wired) or infiNET EX® (wireless)

Cost-Saving Lighting Control for Large or Multiple Rooms

The GLPAC offers **0-10V dimming for up to four rooms with built-in energy management features** including occupancy sensing, daylight harvesting, and optional power monitoring. A single GLPAC controls up to 8 channels of dimmable fluorescent or LED lighting fixtures across up to 4 rooms without any complicated programming. Cresnet and Ethernet connectivity afford extensive system configuration using keypads, touch screens, shade controllers, and more.



GLPAC Crestron Green Light® Integrated Lighting Systems

- + Works in 120 to 277VAC systems
- + Provides 4 or 8 channels of 0-10V dimming
- + 16 Amp load rating per channel
- + Phase-independent channels
- + Positive air gap at each output
- + Fully programmable control system on board
- + Preloaded program for quick setup
- + Built-in Web-based setup wizard
- + Supports occupancy sensing and daylight harvesting for up to 4 rooms
- + Optional real time power monitoring per channel
- + Local controls for setup, testing and verification
- + Local and remote override capability
- + Non-volatile power failure memory
- + Local and slave Cresnet® ports
- + High-speed Ethernet LAN port

In-Wall Integrated Room Lighting and Shade Controller

Crestron iLux® provides a **versatile, energy-saving wall mount lighting controller for boardrooms, auditoriums, and custom theaters** with 6 dimmable lighting zones and 6 motorized shade control zones. Multiple units can be linked to handle larger rooms and multi-room applications. Support for occupancy sensors and photocells enables localized energy management functionality. **Wired or wireless control system integration allows for room-combining, facility-wide integration, and centralized energy management** using Fusion EM™ software.



CLS-C6M

CLS-C6 Series iLux® In-Wall Lighting Systems

- + 6 channels of dimming or switching
- + 6 groups of shade and drape control
- + Linkable for large rooms and multi-room applications
- + Front panel controls with customizable labeling
- + Easy setup from front panel or iLux Designer software
- + Add-on keypads, touch screens, and IR remote
- + Supports occupancy sensors and photocells
- + Optional integrated motion sensor
- + Integrates with control systems via Cresnet® or infiNET™
- + Expanded load type support via CLS-EXP modules
- + Available in white, black, or almond

Maximize Natural Lighting to Minimize Energy Usage

Motorized window shades let you **control how much natural light enters a room, reducing dependence on costly electrical lighting**. Daylight harvesting allows light fixtures near windows to be dimmed or shut off when sufficient natural light is available. Climate control costs can also be contained by closing shades in the summer and opening them in the winter. Automating shades is also an essential component of any integrated AV presentation solution.



NEW! Crestron® Shading Solutions

- + A complete line of shading and drapery systems
- + Integrates seamlessly with Crestron lighting and climate controls
- + Over 400 fabric options
- + Crestron® Quiet Motor Technology™
- + Smooth silent starts and stops
- + Maximum windows coverage with the smallest possible light gaps
- + Programmable stop points
- + Grouping requires no special controls or relay systems
- + Power failure memory for the lifetime of the product
- + Easy low-voltage wiring scheme
- + 8 year limited warranty



C2N-SDC Shade and Drape Controller

- + Provides a Cresnet® interface for third-party motorized window treatments, skylights, doors, lifts and projection screens
- + Controls two independent 120V AC 3-wire bidirectional motors
- + Built-in timing and interlock logic
- + Flush wall box mountable
- + **C2N-SDC-DC** 24 Volt DC controller also available

C2N-SSC-2 Somfy® Shade Controller

- + Bidirectional serial interface for two Somfy ILT motors
- + Connects to iLux® or any Crestron lighting control system via Cresnet®
- + Affords precision control and feedback of shade positioning
- + Surface mountable

Crestron Green Light®

From updating a conventional thermostat for essential HVAC integration, to managing commercial-grade environmental systems in the most high-tech estate or high-rise MDU, **Crestron gives you more ways to interface with climate control systems** as part of a total home control and energy management solution.

Communicating Thermostats

Crestron thermostats install easily in place of any conventional thermostat to enable full integration as part of a total Crestron solution.



CHV-TSTATEX Wireless Thermostat w/infiNET EX®

- + Heat/cool thermostat for baseboard, forced air, and heat pump HVAC systems
- + FCU (Fan Coil Unit) versions available for hotel room applications
- + Crestron system integration via infiNET EX wireless network — no extra wires required
- + Saves on energy costs with advanced programming abilities
- + Supports two remote temperature sensors
- + Fail-safe mode allows continuous operation if control system goes offline
- + Large backlit LCD display
- + Available in white, black, or almond



CHV-TSTAT & CHV-THSTAT Thermostats

- + Heat/cool thermostats with optional humidistat
- + Cresnet® wired control system interface
- + Supports two remote temperature or humidity sensors
- + Large backlit LCD display
- + Available in white, black, or almond

3-Series™ providing BACnet®/IP Support



In a luxury home or high-rise complex employing commercial grade HVAC equipment, BACnet can be utilized to provide a seamless interface to the Crestron system. With **NEW! BACnet/IP support built into every 3-Series Control System®**, there's no need for a separate gateway or protocol translator.

Native support for the BACnet/IP communication protocol provides **a direct interface to third-party building management systems over Ethernet**, simplifying integration with HVAC, security, fire & life safety, voice & data, lighting, shades, and other systems. Using BACnet/IP, each system runs independently with the ability to communicate together on one platform for a truly smart building.

Occupancy and Ambient Light Sensing

A total energy management solution requires automation of lighting, HVAC, shades, AV and other equipment in response to the changing conditions in a room. Crestron Green Light® Occupancy Sensors provide reliable detection of when a room is vacant or occupied, allowing lights and AV equipment in the room to be shut off and climate control turned down when they're not needed. Photocells enable daylight harvesting, allowing shades and lighting to be adjusted according to the amount of ambient light available through windows and other natural light sources.

NEW! For InfoComm12, the GLS-ODT-C-CN provides a ceiling mount occupancy sensor with direct connectivity for Cresnet® and a photocell, reducing the amount of wiring and hardware required.



GLS-ODT-C-CN

NEW! GLS-ODT-C-CN

Dual-Technology Occupancy Sensor with Cresnet®

- + Integrated Cresnet® interface
- + Dual-technology motion detection
- + 360 degree, 2000 square feet coverage
- + Extremely accurate and reliable sensing
- + Microprocessor-controlled self-adapting operation
- + Built-in ambient light recognition
- + Input for a Crestron photocell



GLS-LCL



GLS-LOL

GLS-LCL & GLS-LOL

Crestron Green Light® Photocells

- + Measure ambient light level from all available light sources
- + Versatile flush or surface mount options
- + 0 to 10 Volt DC analog control output
- + Optional Cresnet® control interface via GLS-SIM



GLS-ODT-W-1200



GLS-ODT-C-2000

GLS-ODT-C & GLS-ODT-W

Dual-Technology Occupancy Sensors

- + Dual-technology motion detection
- + Versatile ceiling & wall mount options
- + Up to 2000 square feet coverage area
- + Extremely accurate and reliable sensing
- + Microprocessor-controlled self-adapting operation
- + Built-in ambient light recognition
- + Optional Cresnet® control interface via GLS-SIM
- + **GLS-OIR-C & GLS-OIR-W** passive infrared models also available



GLS-SIM

GLS-SIM Sensor Integration Module

- + Provides Cresnet® connectivity for a wide variety of sensors
- + Works with occupancy sensors, photocells, partition sensors, and more
- + Provides 24 Volts DC to power sensors
- + Includes 2 independent sensing inputs
- + Supports contact-closure, DC logic, and 0-10V analog signals
- + Simplified setup via onboard DIP switches
- + Fits in an electrical box behind the sensor

DIN Rail Lighting & Automation

Squeeze the most out of small spaces with DIN rail lighting products. Great for boardrooms, classrooms, condominiums and custom theaters, DIN rail modules deliver **integrated lighting and motor control at the best price per square inch**. In addition to lighting and motor control, our complete DIN rail line includes an **EMerge Alliance® registered control system**, DALI interface, several versatile control interfaces, and Cresnet® distribution solutions.



DIN-EN-3X18

DIN Series DIN Rail Enclosures & Modules

- + **NEW! DIN-EN Enclosures** – metal construction; available with 2, 3, or 6 rails; 18 DIN units wide
- + **DIN-AP2 2-Series Automation Processor** – Cresnet & Ethernet; e-Control, SNMP, & Fusion Support; RS-233, IR, Versiport, & relay ports
- + **DIN-DALI-2 DALI Interface** – 2-channels, controls 128 DALI ballasts, Cresnet & Ethernet, override input
- + **DIN-1DIM4 Dimmer** – 4-channels, 120-277V operation, zero cross filter, air-gap relay, Cresnet, override input
- + **DIN-1DIMU4 Universal Dimmer** – 4-channels, forward/reverse phase, 120-240V operation, auto load detection, zero cross filter, air-gap relay, Cresnet, override input
- + **DIN-4DIMFLV4 0-10V Fluorescent Dimmer** – 4-channels, switching and 4-wire dimming, 120-240V operation, Cresnet, override input
- + **DIN-8SW8 High-Voltage Switch** – 8-channels, 120-240V operation, Cresnet, override input

- + **DIN-8SW8-I High-Voltage Switch w/Digital Inputs** – 8-channels, 120-240V operation, Cresnet, override input, contact-sensing inputs
- + **DIN-2MC2 Motor Control** – 2-channels, bidirectional motor control, 120-240V operation, Cresnet, override input
- + **DIN-A08 Analog Output Module** – 8-channels, 0-10V outputs, Cresnet, override input
- + **DIN-I08 Versiport Module** – 8-channels; for external sensors, detectors, alarms, & contact closures; Cresnet
- + **DIN-PWS50 Cresnet Power Supply** – 50 Watts @ 24V DC
- + **NEW! DIN-PWS30-277 Cresnet Power Supply** – 30 Watts @ 24V DC, for 277V systems
- + **DIN-BLOCK Cresnet Distribution Block** – 12 termination blocks, split power bus, diagnostic LEDs
- + **DIN-HUB Cresnet Distribution Hub** – 3-segments, configurable power distribution



DIN-AP2



DIN-1DIM4



DIN-8SW8



DIN-2MC2

Central Lighting Control Cabinets

Crestron Green Light® Architectural Dimming (GLPD) systems offer **the very best in lighting control**. Designed for demanding commercial environments including office buildings, meeting and convention centers, museums, and restaurants, Green Light Architectural Dimming delivers precise dimming control coupled with ultra reliable hardware.

Green Light Power Switching (GLPS) systems provide robust switching for warehouses, parking garages, courtyards and retail spaces. Green Light Express (GLPX) encompasses a variety of cost-effective, space-saving feed-thru cabinets with a choice of relay and dimmer types and **optional built-in IPAC control processor**.



GLPD Crestron Green Light® Architectural Dimming

- + 120 or 277 Volt 2-wire, 3-wire, MLV, and 0-10V dimming & switching
- + Phase-synchronous detection zero-cross filter technology
- + Up to 60 circuits per panel
- + Integrated branch circuit breakers
- + Optional main circuit breaker
- + Feed-thru cabinets available
- + Field-replaceable lighting modules
- + Remote emergency override capability
- + UL924 listed (emergency power equipment)
- + **NEW!** Available main and branch circuit power metering using GLS-EM-MCU

GLPS Crestron Green Light® Power Switching

- + 120 and 277 Volt switching
- + Optional zero-cross arcless switching
- + Available 0-10V fluorescent dimming
- + Up to 56 circuits per panel
- + Integrated branch circuit breakers
- + Optional main circuit breaker
- + Field-replaceable lighting modules
- + Remote emergency override capability
- + **NEW!** Available main and branch circuit power metering using GLS-EM-MCU



GLPX Green Light Express® Dimming & Switching

- + 120 or 277 Volt 2-wire, 3-wire, MLV, and 0-10V dimming & switching
- + Optional zero-cross arcless switching
- + Available 120/208, 277/480, and 230/400 volt 3-phase switching
- + Up to 84 circuits per cabinet
- + Feed-thru type panels
- + Field-replaceable lighting modules
- + UL924 listed (emergency power equipment)
- + **NEW!** Available main and branch circuit power metering using GLS-EM-MCU
- + **NEW!** Optional built-in IPAC control processor



In-Wall Dimmers & Switches

CAMEO®

Cameo® dimmers and switches offer **direct control of individual lighting circuits in an attractive wall plate form factor.**

Cameo comes in a range of options to fit any need or budget, with a variety of button sizes that can be custom engraved and changed in the field. Optional **infiNET EX® wireless networking enables integration with a central control system without running any extra wiring**, providing an ideal upgrade for rooms with existing wall plate dimmers and switches. An integrated system allows every lighting load to be centrally controlled and monitored as part of a building-wide energy management solution.



CLW-DIMEX-P & CLW-SWEX-P

Cameo® Wireless In-Wall Dimmers & Switches

- + Available in all 12 Cameo colors and finishes
- + Field replaceable and engravable buttons
- + infiNET EX® wireless communication
- + Dimmers configurable with up to 4 buttons
- + Switches configurable with 2 buttons or rocker
- + Available slave remote dimmers/switches
- + Screw-clamp connectors for easier installation
- + White LED feedback indicators
- + Stylish bargraph for real-time status feedback
- + Available **CLW-DIMSWEX-P** provides combo dimmer and switch in one device

CLW-DIMCN-P & CLW-SWCN-P

Cameo® Wired In-Wall Dimmers & Switches

Same features as Cameo Wireless except:

- + Cresnet® wired communication
- + Available **CLW-DIMSWCN-P** provides combo dimmer and switch in one device



CLW-DIMEX-E & CLW-SWEX-E Cameo® Express Wireless In-Wall Dimmers & Switches

Same features as Cameo Wireless except:

- + Lower cost solution
- + Available in smooth almond, black and white
- + Green LED feedback indicators
- + Does not support slave remotes
- + Available **CLW-DIMSWEX-E** provides combo dimmer and switch in one device

Wireless Integrated Lamp Control

Even plug-in type lamps and fixtures can be monitored and controlled using Crestron Green Light® lamp dimmers and switches. Wireless communication provides an easy path to integration with a central energy management system.




CLW-LDIMEX & CLW-LSWEX

Wireless Lamp Dimmers and Switches

- + Robust infiNET EX® wireless technology
- + Plugs into a 120 Volt AC receptacle
- + 1- and 2-channel models available

230 Volt Dimmers & Switches

The power of Crestron in-wall lighting control is now available for 230 Volt systems. Featuring engravable and field customizable buttons, wireless infiNET EX® communications, and connectivity for 3rd party remote switches.



CLWI-1SW2EX, CLWI-DIMFLVEX, CLWI-DIMUEX, & CLWI-SWEX

In-Wall 2-Channel Dimmers & Switches, 230VAC

- ✦ Field replaceable and engravable buttons
- ✦ Dimmer controls 0-10V dimmable LED or fluorescent fixtures
- ✦ Available in anthracite or white finishes
- ✦ infiNET EX robust communication
- ✦ Configurable up to 6 buttons
- ✦ Supports any 3rd party maintained or momentary switch for remote dimming
- ✦ Screw-clamp connectors for easy installation
- ✦ Stylish bar graph LED array provides real-time status feedback

Beautiful, Functional, Configurable

CAM:EO®

Crestron Cameo® is a favorite keypad choice for all types of commercial lighting and AV control applications. Cameo keypads are EMerge Alliance® registered for use as part of a 24VDC low-voltage lighting solution. The choice of wired or wireless connectivity allows easy, flexible installation in both new and existing structures. Wired versions also provide a local interface for occupancy sensors and photocells as part of a total energy management solution.



INET-CBD-EX-P Cameo® Wireless Keypads

- ✦ Available in all 12 Cameo colors and finishes
- ✦ Configurable with up to 8 backlit engravable buttons
- ✦ Optional “split-buttons” in bottom two positions
- ✦ Auto-dimmable backlight and LED intensity
- ✦ White LED feedback indicators
- ✦ Built-in blinking and bargraph logic
- ✦ infiNET EX® 2-way RF wireless communication
- ✦ Standard wall box mountable
- ✦ 120V AC line powered
- ✦ EMerge Alliance® compatible

C2N-CBD-P Cameo® Keypads, Standard Mount


Same features as Cameo Wireless Keypads except:

- ✦ Cresnet® wired communication and power
- ✦ Dual Versiport interface for external sensors
- ✦ Compatible with Ascent™ metal faceplates

Keypads & FlipTops

Affordable Control with Essential Features

A lower-cost Cameo® alternative, Cameo Express provides the features you need to deliver a **high-quality custom keypad solution at a very reasonable price.**



INET-CBD-EX-E

Cameo® Express Wireless Keypads


- ✦ Lower cost keypad solution
- ✦ Available in smooth almond, black and white
- ✦ Configurable with up to 8 engravable buttons
- ✦ Optional “split-buttons” in bottom two positions
- ✦ Green LED feedback indicators
- ✦ Built-in blinking and bargraph logic
- ✦ infiNET EX® 2-way RF wireless communication
- ✦ Standard wall box mountable
- ✦ 120V AC line powered
- ✦ EMerge Alliance® compatible

C2N-CBD-E

Cameo® Express Keypads, Standard Mount

Same features as Cameo Express Wireless Keypads except:

- ✦ Cresnet® wired communication and power
- ✦ Compatible with Ascent™ metal faceplates



CLWI-KPL In-Wall Lighting Keypad International, 230V

- ✦ Companion keypad to CLWI Dimmers & Switches
- ✦ Field replaceable and engravable buttons
- ✦ Dimmer controls 0-10V dimmable LED or fluorescent fixtures
- ✦ Available in anthracite or white finishes
- ✦ infiNET EX robust communication
- ✦ Configurable up to 6 buttons
- ✦ Supports any 3rd party maintained or momentary switch for remote dimming
- ✦ Screw-clamp connectors for easy installation
- ✦ Stylish bar graph LED array provides real-time status feedback

Keypads & FlipTops

Full Functionality, Tiny Footprint

For architects looking for **a more subtle stylistic approach to providing lighting and AV control**, Crestron offers Cameo® Flush Mount Keypads. The design that earned Cameo its name, these tiny keypads offer the same full-sized configurable buttons and other features as standard mount Cameos in approximately 1/3 of the space.



C2N-CBF-P Cameo® Keypads, Flush Mount

- + Incredibly small footprint and slim profile
- + Available in 5 Cameo textured colors
- + Compatible with Ascent™ metal faceplates
- + Configurable with up to 8 backlit engravable buttons
- + Optional "split-buttons" in bottom two positions
- + Auto-dimmable backlight and LED intensity
- + White LED feedback indicators
- + Built-in blinking and bargraph logic
- + Cresnet® wired communication and power
- + Dual Versiport interface for external sensors
- + EMerge Alliance® compatible

Modern Design Meets Modern Function

Even the most luxurious or contemporary interior is a perfect candidate for Cameo® keypads. Ascent™ faceplates bring high-style to any Cameo wired keypad in seven **lustrous metallic finishes designed to appeal to the most demanding architect or executive.**



CBD-FP-ASCENT & CBF-FP-ASCENT Ascent™ Solid Metal Faceplates for Cameo® Keypads

- + Choice of 7 luxurious colors and finishes
- + One-piece solid metal bezel
- + Exceptional fit and finish
- + Mix and match with any color buttons
- + Multiple cutout designs and button configurations
- + Models available for Cameo Standard Mount and Flush Mount keypads

Keypads & FlipTops

Cameo® Style for International Wall Boxes and Lecterns

These flexible keypads are designed for installation in UK and European style wall boxes, and can also be mounted into furniture without requiring a backbox. Optional architectural faceplates offer a metallic accent for a sophisticated appearance.



Shown w/Architectural faceplate option

C2NI-CB Cameo® International Key pads

- + UK/European style electrical box installation
- + Flush mountable without a backbox
- + Available in textured almond, black or white
- + Architectural faceplate options available
- + Versatile combinations of up to 12 pushbuttons
- + Customizable backlit button engraving
- + White LED feedback indicators
- + Built-in LED blinking and bargraph logic
- + Auto-dimmable backlight and LED intensity
- + 2 contact closure inputs
- + Cresnet® wired communication and power

Low-Cost, High-Function

Provide essential control over AV, lighting, and other functions in these 6, 8, or 12 button Decorator Key pads.



C2N-DB Decorator Keypads

- + Available in smooth almond, black, and white
- + Match off-the-shelf decorator style faceplates
- + Available in 6, 8, and 12 button configurations
- + Replaceable, custom-engrable buttons
- + Programmable feedback LEDs
- + Cresnet® wired communication and power

Big Buttons, Bold Appearance

Crestron Designer Keypads deliver enhanced functionality in an attractive wall plate design featuring extra large buttons and optional backlighting.



Shown w/Architectural faceplate option



Shown w/3-gang Designer faceplate option

CNX-B Designer Keypads

- + Elegant design with large buttons
- + Gangable up to 3 side-by-side
- + Available in 5 textured colors
- + Designer and Architectural faceplate options
- + Available in 2, 4, 6, 8, and 12 button configurations
- + Replaceable, custom-engrable buttons
- + Programmable feedback LEDs
- + Backlit button option
- + WAV file audio feedback
- + Cresnet® wired communication and power

Keypads & FlipTops

FlipTop™ Interface & Control

Crestron FlipTops provide a stylish and practical solution for putting control and connectivity at hand in conference tables and presentation podiums. Options include integrated touch screen or keypad control plus a **NEW! retractable cable management system**.



C2N-FT-TPS4
w/CBLR option

C2N-FT-TPS4

FlipTop™ Touch Screen Control Center

- + Stylish flush-mount FlipTop housing
- + Integrated 3.6" active matrix color touch screen
- + 10 translucent white backlit pushbuttons
- + WAV file audio feedback
- + **NEW! CBLR** Retractable Cable Management – Fits up to four cable retractors
- + Optional AC power outlet
- + Cresnet® and Ethernet communications
- + **FT-PWR-D-LG** FlipTop Power Center also available (no touch screen)

C2N-FTB-D FlipTop™ Control Center

- + Stylish flush-mount FlipTop housing
- + Integrated keypad with dual bargraphs
- + **NEW! CBLR** Retractable Cable Management – Fits up to three cable retractors
- + Dual AC power outlets
- + Cresnet® communications
- + **FT-PWR-D** FlipTop Power Center also available (no keypad)



NEW! CBLR

Cable Retractors for FlipTop™ Boxes

- + Keeps interface cables at-the-ready
- + Easy-to-use – won't recoil until you press the lever
- + Eliminates hanging cable loops beneath the table
- + Cable retractors available for HDMI®, VGA, 3.5mm TRS Stereo Audio, USB, Ethernet, HDBaseT™ and DM8G+™
- + Gang up to 4 retractors in a FlipTop Touch Screen Control Center or Large FlipTop Power Center
- + Gang up to 3 retractors in a FlipTop Control Center or Small FlipTop Power Center
- + May be oriented vertically or horizontally beneath the table – fits inside a pedestal leg or to the underside of the tabletop



CBLR shown
attached to
FlipTop

Core 3 UI™ — the New Tool for Cool!

The new Core 3 UI platform makes it easier than ever to deliver a rich user experience with amazing touch screen graphics.

Core 3 UI increases “wow” factor while reducing time and effort, making the ultimate Crestron touch screen experience an excellent value as well.



New Core 3 UI objects and apps are a snap to use, enabling rapid GUI development using the full library of buttons, icons, sliders and gauges. In a single step, **SmartObjects™ let touch screen designers add complete control interfaces for complex devices and systems** including lighting and building management systems, multiroom AV distribution, and multimedia sources like the ADMS™, iPod®, SiriusXM® and Pandora®. Smart Sizing™ takes the pain out of resizing objects, allowing designers to **create one GUI and deploy it effortlessly across different sized touch screens**.

Today's Crestron touch screens support all the power of Core 3 UI, integrating fluid gesture-driven menus, control objects, scrolling lists, streaming video windows, Web browsers and intercom — all on **one dynamic user interface that's intuitive and fun to use**. As a Crestron dealer, you have the absolute best solutions at your disposal to surpass anything on the market, and now **Core 3 UI empowers you to be even more competitive** by offering truly amazing custom GUIs in less time.

CORE3UI™

Silky Smooth and Packed with Power

The new TSW-550, 750 and 1050 offer powerful Core 3 UI™ graphics in a **choice of three space-efficient surface mount designs**. Each features an **edge-to-edge capacitive touch surface**, H.264 streaming video, Rava™ SIP intercom, single-wire PoE/PoE+ connectivity, and standard gang-box installation.



NEW! TSW-550, TSW-750 & TSW-1050 Surface Mount Touch Screens

- + Ultra clean, modern appearance
- + Thin profile and small footprint
- + Affordable and easy to install
- + 5", 7", and 10" widescreen color displays
- + Core 3 UI™ graphics
- + Capacitive touch screen technology
- + High-performance H.264 streaming video
- + Rava™ SIP intercom and phone technology
- + Customizable audio feedback
- + Built-in microphone and speakers
- + 5 soft-touch capacitive buttons
- + Single-wire Ethernet connectivity
- + PoE network powered (PoE+ for TSW-1050)
- + Standard electrical wall box mounting
- + Available in smooth black or white finish
- + Available tabletop and flush wall mount options

Award-Winning Ergonomics, All New Experience

The new TST-600 adds the power of Core 3 UI™ to our best-selling TPS-6X Wireless Touch Screen, providing **a whole new user experience** in a slick-looking portable design.



NEW! TST-600 5.7" Wireless Touch Screen

- + Advanced wireless touch screen controller
- + Compact, lightweight contoured design
- + 5.7" TFT active matrix color LCD display
- + Capacitive touch screen technology
- + Core 3 UI™ graphics[1]
- + High-performance H.264 streaming video[3]
- + Rava™ SIP intercom and phone technology[3]
- + Customizable audio feedback
- + Built-in microphone and speakers
- + Illuminated buttons and engravable backlit text[2]
- + No-button front bezel option included
- + Dual-mode RF wireless performance — Extended Range 2.4 GHz RF and Wi-Fi®[10]
- + Instant-Waking® behavior — like an IR remote with all the benefits of 2-way RF!
- + Low-profile tabletop docking station[8,9]
- + Available in smooth black or white, or textured black finishes

Perfect Size, Cutting Edge Performance

A generous 9" widescreen display plus optional hard buttons make the TPMC-9L a perfect fit for any wall or lectern mount purpose. Rava™ SIP Intercom capability provides clear hands-free voice communication for home and office application.

TPMC-9 provides a sleek and stylish tabletop touch screen with both wired and streaming video capability.



TPMC-9L 9" Wall Mount Touch Screen w/Rava™

- + Stylish flush-mount design for in-wall and lectern installation
- + 9" widescreen color touch screen
- + Core 3 UI™ graphics & H.264 streaming video
- + Rava™ SIP intercom and phone technology
- + Customizable audio feedback
- + 12 optional "hard key" pushbuttons
- + Backlit custom engravable button text
- + Auto-brightness control
- + Wired composite video input
- + High-speed Ethernet and Cresnet® communication
- + Flush wall or rack mount
- + Almond, black, or white textured finish

TPMC-9 9" Tilt Touch Screen

- + Sleek, contoured design for tabletop use
- + 9" widescreen color touch screen
- + Core 3 UI™ graphics & H.264 streaming video
- + Wired composite video input
- + Crestron IP intercom
- + Customizable audio feedback
- + Crestron Home® CAT5 video connectivity
- + High-speed Ethernet and Cresnet® communications
- + High gloss black or white, or textured black finishes

Touch Screens & Remotes

“Go Anywhere” Touch Screen Control and Room Scheduling

The TPMC-4SM makes an elegant statement wherever you put it. A complete set of mounting options are offered for installation over a standard electrical box, placed on a table top, or attached to **any flat surface — even glass, granite, marble, or concrete.**



TPMC-4SM 4.3" Wall Mount Touch Screen

- + Versatile wall, surface, and tabletop mounting options
- + 4.3" widescreen color touch screen
- + Core3UI™ Graphics
- + High performance H.264 streaming video
- + Crestron IP intercom
- + Customizable audio feedback
- + Built-in microphone and speaker
- + Built-in proximity sensor
- + 10 optional “hard key” pushbuttons
- + Dual-color button backlighting and feedback
- + Also available with white LEDs (model TPMC-4SMD)
- + Custom engravable button text
- + Fusion RV™ room scheduling mode
- + Room occupancy sensor option
- + Single-wire Ethernet connectivity
- + PoE network powered
- + Black or white smooth finish

Rava™ SIP Intercom & Phone — Talk To Me!

Rava SIP Intercom Technology enables **hands-free VoIP communication** between any two Rava-enabled Crestron touch screens. Rava works over Ethernet, supporting 2-way intercom, paging, and room monitoring without any special wiring. VoIP phone capability is also possible through integration with an SIP-compatible IP phone system or SIP server, allowing hands-free telephone functionality with speed-dialing, caller ID, custom ringers, and other enhancements.

The TPMC-4SM-FD packs the power of Core 3 UI™ with Rava SIP Intercom technology to deliver **a total room control solution with the added capabilities of a hands-free phone or intercom station.** Built-in echo cancellation affords **true-duplex performance for clear, seamless voice communication.**



TPMC-4SM-FD 4.3" Touch Screen w/Rava™

- + 4.3" widescreen color touch screen
- + Core 3 UI™ graphics
- + High-performance H.264 streaming video
- + Rava™ SIP intercom and phone technology
- + Built-in microphone and speaker
- + Customizable audio feedback
- + Built-in proximity sensor
- + 10 optional “hard key” pushbuttons
- + Dual-color button backlighting and feedback
- + Also available with white LEDs (model TPMC-4SMD-FD)
- + Custom engravable button text
- + Fusion RV™ room scheduling mode
- + Room occupancy sensor option
- + Single-wire Ethernet connectivity
- + PoE network powered
- + Surface mount over a wall box or 2" square hole
- + Black or white smooth finish

Go Bigger! Put It Anywhere.

The new TSW-730 is an adaptation of the TSW-750 in a package based on the popular TPMC-4SM. Its **generous 7" capacitive touch screen display with Core 3 UI™ graphics and Rava™ SIP Intercom technology** offers a big, bold solution for room scheduling or any other control application. Like the TPMC-4SM, the TSW-730 is offered with **tabletop and multi-surface mounting options** to facilitate installation virtually anywhere.



NEW! TSW-730 7" Wall Mount Touch Screen

- + Versatile wall, surface, and tabletop mounting options
- + 7" widescreen color touch screen
- + Core 3 UI™ graphics
- + Capacitive touch screen technology
- + High-performance H.264 streaming video
- + Rava™ SIP intercom and phone technology
- + Customizable audio feedback
- + Built-in microphone and speaker
- + Built-in proximity sensor
- + 10 optional "hard key" pushbuttons
- + Dual-color button backlighting and feedback
- + Custom engravable button text
- + Fusion RV™ room scheduling mode
- + Single-wire Ethernet connectivity
- + PoE+ network powered
- + Black or white smooth finish

Small Size, Big Performer

At a very affordable cost, the TPMC-3SM provides a perfect room scheduling solution for use with Crestron Fusion RV™ software, and affords total control over audio, video, lighting, and other functions — all in the space of a light switch.



NEW! TPMC-3SM 2.8" Wall Mount Touch Screen

- + Modern, contoured appearance
- + Thin profile and small footprint
- + Affordable and easy to install
- + Quick-access pushbuttons
- + Dual-color LED button backlighting
- + Also available with white LEDs (model TPMC-3SMD)
- + Fusion RV™ room scheduling mode
- + Single-wire Ethernet connectivity
- + PoE network powered
- + Single-gang wall box mountable
- + Available in smooth black or white

Big Touch Screens with Big Performance



A sleek design, **High-Definition Core 3 UI™** graphics, embedded multimedia and Web browsing, and VESA mount capability make V-Panel™ touch screens our most powerful, versatile, and visually appealing large format touch screens ever. **V-Panels™ can be custom mounted using off-the-shelf display brackets and telescoping arms.** They can be mounted flush in a wall, lectern, equipment rack or console. Or, they can simply be placed on a table or countertop.

Choose a TPMC-V 12" or 15" Integrated HD touch screen with **H.264 streaming and composite video**, or choose the V12, V15, or V24R-C with **DigitalMedia™ connectivity and multi-window HDMI® and analog source display.**

TPMC-V12 & TPMC-V15

V-Panel™ Integrated HD Touch Screens

- + 15" widescreen or 12" color touch screen
- + High-definition Core 3 UI™ graphics
- + Onboard PC applications for Web browsing, playing digital media, and viewing digital documents
- + High-performance H.264 streaming video
- + Wired composite video input
- + Crestron IP intercom
- + Remote annotation
- + Customizable audio feedback
- + Supports onscreen or external USB keyboard and mouse
- + High-Speed Ethernet and Cresnet®
- + Tabletop, in-wall, and VESA-compatible mounting options
- + Available in white or black

DGE-2

Digital Graphics Engine

- + Touch screen graphics and HD video processing for V-Panels™
- + High-definition 24-bit graphics powered by Core 3 UI™
- + Onboard PC applications for Web browsing, viewing digital content High-performance H.264 streaming video
- + VNC viewer for remotely accessing and controlling external computers
- + Dual-window, full-motion HDCP protected HD video display
- + Presentation output via HDMI or DigitalMedia™
- + Built-in annotation
- + WAV file customizable audio feedback
- + Audio input and output via HDMI, DM®, and balanced line-level
- + Onscreen and USB keyboard/mouse capabilities

V12 & V15 V-Panel™ HD Touch Screen Displays

- + Same features, appearance and mounting options as TPMC-V
- + Works with the DGE-2 Digital Graphics Engine or DVPHD Digital Video Processor
- + DigitalMedia™ technology enhances system configurability
- + Allows multi-window display of HDMI®, VGA, component and H.264 video sources
- + Allows annotation over live video images
- + Fully HDCP compliant

NEW! V24R-C

V-Panel™ 24" HD Touch Screen Display

- + Provides a high-definition video display, computer monitor, and annotator with advanced Crestron® touch screen control
- + Rich, accurate color reproduction and high-speed response
- + Ultra-wide 178 degree viewing angles
- + 1920 x 1200 WUXGA display resolution
- + High-Definition Core 3 UI™ graphics
- + Works with the DGE-2 or DVPHD
- + DigitalMedia 8G+™ technology reduces wiring and enhances system configurability
- + Multi-window display of HDMI® and other video sources
- + Built-in HD scaler enables full-screen video without a DGE
- + VESA mount, lectern, or flush wall mount options
- + Available in white or black

Touch Screens & Remotes

Accelerated Wi-Fi Touch Screen

The TPMC-8X-GA offers a wireless control solution with a huge 8.4" touch screen display in a very practical, easy-to-hold form factor. It features enhanced Wi-Fi wireless performance, Rava™ SIP Intercom, onboard Web browsing and multimedia, H.264 streaming video, and advanced Core 3 UI™ graphics.



TPMC-8X-GA 8.4" WiFi Touch Screen

- + Stylish and compact ergonomic design
- + 8.4" color touch screen display
- + Core 3 UI™ graphics
- + Automatic display brightness control
- + High-performance 802.11a/b/g Wi-Fi wireless communications
- + Up to 80 feet omnidirectional RF range
- + Onboard PC applications for Web browsing, playing digital media, and viewing digital documents
- + VNC viewer for remotely accessing and controlling external computers
- + Native H.264 streaming video for viewing Web cameras and HD sources
- + Rava™ SIP Intercom and phone technology
- + Customizable audio feedback
- + High-powered speakers, headphone jack, and microphone
- + 5-way thumbpad, up/down arrow buttons, and 4 "hard keys"
- + Stylus with built-in storage slot
- + On-screen mouse and keyboard capability
- + USB port for external mouse and keyboard
- + Intelligent power management with "wake on touch"
- + Internal Li-Ion battery pack included
- + External "booster" battery pack available
- + Optional desktop and in-wall docking stations

Goes Where No Remote Has Gone Before

This feature-packed waterproof remote offers advanced wireless control capabilities in a fully-submersible package that's resistant to chlorine and salt water — and **can even be immersed in sanitizing fluid for use in a hospital operating room**. Perfect for use around the pool or on a yacht, the optional weather-proof docking station keeps the UFO securely in place while charging through high winds and rough seas.



NEW! UFO-WPR-3ER

UFO Waterproof Wireless LCD Remote

- + Waterproof handheld remote w/color LCD display
- + Ideal for use around the pool or hot tub, in the bath or shower, or on a boat or yacht
- + Floats on top of the water's surface, immersible to 10 feet
- + Safe for use in chlorinated and salt water environments
- + Rubberized exterior won't slip from grip
- + Included wrist lanyard keeps your remote at hand
- + Includes indoor desktop docking station
- + Optional outdoor docking station holds remote securely at any angle and wind speeds up to 55 mph (47.8 kn)
- + Features a 2.8" active-matrix color LCD display and intuitive menu-driven user interface
- + Provides true-feedback with dynamic text capability
- + Displays full-color icons and status indicators
- + Tactile buttons for common functions and menu navigation
- + Extended Range 2.4 GHz RF wireless technology allows up to 200 feet RF range indoors, 1000 ft outdoors
- + Instant-Waking® behavior — works like an IR remote with all the benefits of 2-way RF!
- + Affords several hours or days of use between charges

Touch Screens & Remotes

Handheld Wireless Touch Screen

The MTX-3 offers handheld touch screen versatility with ultra-dependable infiNET EX® wireless technology. Rock-solid 2-way RF communications with Instant-Waking® ensures **seamless interaction between all your technology and the way you teach, work, and live.** Control your AV presentation or home theater, adjust audio and lighting in any room, and even browse your media library, all through one stylish, ergonomic device.



MTX-3

2.8" Handheld Wireless Touch Screen w/infiNET EX®

- + Sleek and ergonomic handheld design
- + Instant-Waking® behavior
- + Works like an IR remote — with all the benefits of 2-way RF!
- + Ultra-reliable infiNET EX wireless communications
- + 75 feet RF range (typical)
- + Easy range extension using infiNET EX expanders
- + Built-in speaker for customizable WAV file audio feedback
- + Widely-spaced tactile pushbuttons
- + White EL backlit button text
- + 2.8" active matrix color touch screen display
- + High display brightness and contrast
- + Wide 150 degrees viewing angle
- + Customizable 16-bit color graphics
- + Dynamic text capability
- + Long-lasting LiPo rechargeable battery pack
- + Low-profile tabletop docking station included

Low-cost infiNET EX® Remote with Color Display

The MLX-3 affords intuitive control for an entire boardroom, classroom, or custom home through **a brilliant user interface that's simple to use — and just as simple to configure.** Featuring customizable scrolling menus and full-color icons, the MLX-3 makes it easy to select your room, pick a media source, choose a radio station, TV channel, or media title, and even access lighting and other environmental controls — all without having to flip through endless confusing pages of static buttons.



MLX-3 Color LCD Handheld Wireless Remote w/infiNET EX®

- + Rugged and ergonomic handheld design
- + 2" active matrix color LCD display
- + Intuitive menu-driven user interface
- + Easy scroll wheel navigation
- + True-feedback and dynamic text capability
- + Full-color icons and status indicators
- + Text search capability via multi-tap keypad
- + Smooth, responsive hard buttons
- + Adjustable backlit button text
- + Ultra-reliable infiNET EX wireless communications
- + 75 feet RF range (typical)
- + Easy range extension using infiNET EX expanders
- + Instant-Waking® behavior
- + Works like an IR remote — with all the benefits of 2-way RF!
- + Powered by 4 AA lithium or alkaline batteries

Crestron Mobile Pro® — The Ultimate Mobile Touch Screen Experience



Crestron Mobile Pro — **the industry's most full-featured mobile control app** — puts complete system control at your fingertips from more places through more devices. Using any **Apple® iOS or Android™ smart phone or tablet**, Crestron Mobile Pro lets you control your

complete boardroom, classroom, or building management system using the one device that goes with you everywhere.

Crestron Mobile Pro adds enhanced security through SSL support, horizontal scrolling and dynamic scrolling list objects, and the ability to integrate with third-party applications such as media players, internet radio, and cable TV apps. You can also **view live streaming video from IP cameras and video servers** from within Crestron Mobile Pro.



Crestron Mobile Pro® Control App for Apple® iOS and Android™

- + Compatible with Apple® iPhone®, iPad®, iPod touch®, and all Android™ devices
- + One project works across multiple platforms and resizes automatically to fit any screen
- + Provides an extensively customizable user interface
- + Enables control of lights, media, climate, security and more
- + Affords full system control with real-time status feedback and metadata
- + Allows viewing live streaming cameras and video servers
- + Supports automatic screen rotation and swipe gestures
- + Includes a large library of built-in graphics
- + **NEW!** Horizontal scrolling and dynamic scrolling lists
- + **NEW!** Launch or be launched by third-party apps
- + Full integration with Crestron programming software
- + Allows control of multiple Crestron systems from one device
- + Communicates directly with a Crestron control system via Wi-Fi or mobile data network
- + No special server or 3rd-party service required

- + **NEW!** SSL secure communication
- + Add or upgrade devices without a service call
- + Paid and free versions available

iPanel™ Docking Stations

Transform any iPad into a stationary Crestron touch screen with these stylish docking stations.



IDOC-PAD-DSWC AND IDOC-PAD-DSC iPanel™ Docking Stations for iPad®

- + In-wall and tabletop models available
- + Allows for easy docking and undocking
- + Charges the iPad while docked
- + **NEW!** Locking in-wall model for fixed installations
- + Available in white or black

Core 3 UI™ XPanel



Crestron was the first in the industry to offer an IP-based remote control solution, unleashing the vast possibilities for controlling, monitoring, and managing integrated systems over a LAN, WAN, and the Internet. Harnessing **the full power of Core 3™**, today's Core 3 UI™ XPanel technology affords an incredibly robust IP control platform to deliver **advanced virtual touch screen control through any popular Web browser**, or as a desktop application, whether running on a Mac® or Windows® PC. Core 3 UI XPanel capability comes standard on every 3-Series Control System™.

GUI Development and System Programming – Unified, Simplified, & Speedified!

The all new Crestron Studio software makes it faster and to design and program the world's most advanced automation systems. In a single, unified development environment, Crestron Studio provides everything needed to create incredible touch screen GUIs and deliver an amazing user experience, while substantially reducing programming time. This comprehensive new development software is backward compatible with existing programs so installed projects can be easily updated and supported.




Crestron Studio™

NEW! Crestron Studio

Unified Programming and GUI Design Software

- + Fluidly move between tasks within one app: programming, GUI design, engraving, devic setup, network configurations.
- + Backward compatible with 2-Series™ and 3-Series™ SIMPL programs, user drivers, and VT Pro-e® projects.
- + Substantially faster, more efficient project development
- + means higher productivity for the dealer and greater value for the customer
- + SmartObjects™, such as the media player, are dynamic and reusable – one join number for the entire object
- + Smart Sizing™ automatically scales and positions the graphics perfectly on every size screen regardless of resolution to provide a consistent and amazing user experience.
- + With supplied editable templates, you never have to start designing from scratch. You're up and running faster.
- + Select from library of themes or create custom components and themes. Reuse as often as you like – change on the fly without redrawing or reprogramming.
- + Use Universal Upload to compile and upload to all touch screens, mobile devices and computers at the same time
- + Retains existing concepts for easy adoption, but in a new, cleaner work environment

- + Speedier, more consistent usability with global keyboard shortcuts, speed keys, and favorites
- + Create multiple programs, layouts, trace windows and tools at once
- + Advanced filtering, type-to-add and drag-and-drop options for adding devices and rooms
- + Reduce repetitive tasks with a wide array of customizable favorites
- + No need to manually match join numbers and .ced files
- + Jump effortlessly between views or drag any tab to a second monitor for multi-screen view
- + Infinitely configurable, tear-away, zoomable workspace
- + Directly launch setup tools for Sonnex™, PROCISE®, DM®, etc.
- + Network configuration sets network IDs and IP table entries for you
- + Automatic notification and delivery of device updates for the components you choose



High-Definition Multi-Window Video Processor and Annotator

Envision the ultimate boardroom, sports bar or custom theater with multiple Blu-ray™ movies, television channels, and computer-based media all displayed simultaneously on one high-definition screen. Imagine the ability to **annotate directly on the screen or from a separate touch screen** along with controls for AV, lighting, and other functions. And picture it all in astounding detail and rich, life-like color.



Now you've imagined the DVPHD High-Definition Digital Video Processor from Crestron® — the ultimate multi-window video processor that displays up to **eight high-res computer and HD video images within a fully-customizable graphical environment**, with dynamic transition effects, advanced video processing, real-time annotation, and touch screen control!

DVPHD High-Definition Digital Video Processor and Annotator

- + Up to 8 fully-scalable HD video windows on a single display
- + Real-time, interactive annotation over high-definition video and computer images
- + Optional Guidebar® technology enables annotation and presentation control from a presenter's touch screen
- + QuickSwitch HD® provides seamless switching with transition effects
- + Modular design accepts the choice of up to 8 simultaneous inputs
- + Handles DVI, HDMI®, DisplayPort Multimode, and HD-SDI digital video sources
- + Enables display of HDCP protected content
- + Handles analog RGB, component, S-Video, and composite video sources
- + Compatible with Crestron V-Panel™ and a vast range of third-party touch screens
- + Fully customizable, high-definition 24-bit graphics
- + Professional high-definition scaling and de-interlacing
- + Supports resolutions up to WUXGA 1920 x 1200 and HD 1080p60
- + Automatic input/output configuration via sync-detection and EDID
- + Built-in test patterns for easy setup and fine-adjustment
- + Setup via LCD front panel, touch screen or mouse OSD, or Web browser
- + Native Crestron control system integration
- + High-speed Ethernet and Cresnet® communications

Commercial Speakers — the Look and Sound of Crestron

It's not like Crestron to take a "me too" approach to any new product design, and our new commercial speakers are no exception. Available for surface and ceiling mount applications, Saros™ speakers are **designed to deliver excellent speech intelligibility and full, rich music reproduction** for use in boardrooms, classrooms, restaurants, night clubs, retail spaces, houses of worship, and convention facilities. Solid construction and a number of feature enhancements ensure a **quick and easy installation and years of reliable performance.**



NEW! Saros™ SR4T, SR6T, & SR8T 2-Way Surface Mount Speakers

- ✦ High-performance 2-way surface mount loudspeakers
- ✦ Designed for high reliability in indoor and outdoor applications
- ✦ 4, 6, or 8" polypropylene woofers with damped cloth surrounds for tight, controlled bass and clear midrange
- ✦ Optimized dual front ports for enhanced low-frequency response
- ✦ Horn-loaded titanium dome tweeters for crisp, clear high-end and enhanced pattern control
- ✦ Rigid ABS construction with powder coated aluminum grilles
- ✦ Versatile and easy-to-install "QuickBall" mounting system
- ✦ May be mounted over an electrical box or to a light pole
- ✦ Tool-free clamp mechanism allows 360° orientation and continuously variable positioning
- ✦ Up to 200 Watts program power handling at 8 Ohms (SR8T)
- ✦ Built-in 30 Watt 70/100V multi-tap transformers
- ✦ Available in black or white – paintable to blend with surroundings
- ✦ Sold in pairs



NEW! Saros™ IC4T, IC6T, & IC8T 2-Way In-Ceiling Speakers

- ✦ High-performance 2-way in-ceiling loudspeaker
- ✦ 4, 6, or 8" polypropylene woofer with damped cloth surround for tight, controlled bass and clear midrange
- ✦ Optimized dual front ports for enhanced low-frequency response
- ✦ Horn-loaded titanium dome tweeter for crisp, clear high-end and enhanced pattern control
- ✦ "Zero-bezel" frameless grille for a clean, contemporary appearance
- ✦ Integral aluminum back can with top and side conduit knockouts
- ✦ Two-step spring-loaded toggle clamps for fast, easy installation
- ✦ Includes tile bridge for installation in drop-tile ceilings
- ✦ Suitable for installation in a plenum ceiling
- ✦ Up to 200 Watts program power handling at 8 Ohms (IC8T)
- ✦ Built-in 30 Watt 70/100V multi-tap transformer
- ✦ Available in black or white – paintable to blend with surroundings
- ✦ Sold individually

Great Sound for Any Application

Crestron speakers are designed to deliver extended frequency response for residential multiroom audio and home theater applications. Their discrete appearance and excellent performance make them ideal for many commercial applications as well.



NEW! AIR™ SR4, SR6, & SR8

2-Way Surface Mount Outdoor Speakers

- + High-performance 2-way surface mount loudspeakers
- + Designed for high reliability in both indoor and outdoor applications
- + 4, 6, or 8" polypropylene woofers for deep, solid bass
- + Optimized dual front ports for enhanced low-frequency response
- + Titanium dome tweeters for crisp, clear high-end extension
- + Rigid ABS plastic construction with powder coated aluminum grilles
- + Versatile and easy-to-install "QuickBall" mounting system
- + May be mounted over an electrical box or to a light pole
- + Tool-free clamp mechanism allows 360° orientation and continuously variable positioning
- + Up to 200 Watts program power handling (SR8)
- + 8 Ohms nominal impedance
- + Available in black or white – paintable to blend with surroundings
- + Sold in pairs



Excite™ IW5, IW6, & IW8 2-Way In-Wall Speakers

- + High-performance 2-way in-wall loudspeakers
- + 5.25, 6.5, or 8" polypropylene woofers for deep, solid bass
- + Treated cloth dome tweeters for natural high-end extension
- + Swivel tweeters for precise coverage optimization
- + Steel composition woofer baskets for increased rigidity
- + Paintable ABS plastic baffle with aluminum grilles
- + Easy-to-install toggle clamp mounting system
- + Front accessible high and low frequency contour switches
- + Up to 125 Watts program power handling (IW8)
- + 8 Ohms nominal impedance, sold in pairs



Excite™ IC5, IC6, & IC8 2-Way In-Ceiling Speakers

- + High-performance 2-way in-ceiling loudspeakers
- + 5.25, 6.5, or 8" polypropylene woofers for deep, solid bass
- + Treated cloth dome tweeters for natural high-end extension
- + Swivel tweeters for precise coverage optimization
- + Steel composition woofer baskets for increased rigidity
- + Paintable ABS plastic baffle with aluminum grilles
- + Easy-to-install toggle clamp mounting system
- + Front accessible high and low frequency contour switches
- + Up to 100 Watts program power handling (IC8)
- + 8 Ohms nominal impedance, sold in pairs



NEW! Essence™ IW5, IW6, & IW8 2-Way In-Wall Speakers

- ✦ Ultimate performance 2-way in-wall loudspeakers
- ✦ .25, 6.5, or 8" Kevlar® woofers
- ✦ 1.1" advanced synthetic polymer dome tweeters
- ✦ Precision 4th order crossovers
- ✦ Cast aluminum woofer baskets
- ✦ Extra large magnets and vented pole pieces
- ✦ "Zero-bezel" frameless steel grilles, paintable
- ✦ Three-point spring-loaded toggle clamp mounting system



NEW! Aspire™ IW5, IW6, & IW8 2-Way In-Wall Speakers

- ✦ Aspire™ IW5, IW6, & IW8 2-Way In-Wall Speakers
- ✦ Audiophile performance 2-way in-wall loudspeakers
- ✦ 5.25" woven glass composite woofers
- ✦ 1" advanced synthetic polymer dome tweeters
- ✦ 4th order crossovers
- ✦ Steel composition woofer baskets
- ✦ Vented pole pieces
- ✦ "Zero-bezel" frameless steel grilles, paintable
- ✦ Spring-loaded toggle clamp mounting system



NEW! Essence™ IC5, IC6, & IC8 2-Way In-Ceiling Speakers

- ✦ Ultimate performance 2-way in-ceiling loudspeakers
- ✦ 5.25, 6.5, or 8" Kevlar® woofers
- ✦ 1.1" advanced synthetic polymer dome tweeters
- ✦ Precision 4th order crossovers
- ✦ Cast aluminum woofer baskets
- ✦ Extra large magnets and vented pole pieces
- ✦ "Zero-bezel" frameless steel grilles, paintable
- ✦ Three-point spring-loaded toggle clamp mounting system



NEW! Aspire™ IC5, IC6, IC8 & IC8DT 2-Way In-Ceiling Speakers

- ✦ Audiophile performance 2-way in-ceiling loudspeakers
- ✦ 5.25, 6.5, or 8" woven glass composite woofers
- ✦ 1" advanced synthetic polymer dome tweeters
- ✦ 4th order crossovers
- ✦ Steel composition woofer baskets
- ✦ Vented pole pieces
- ✦ "Zero-bezel" frameless steel grilles, paintable
- ✦ Three-point spring-loaded toggle clamp mounting system

ENERGY STAR® Qualified Power Amplifiers

Creston AMP-series Commercial Power Amplifiers provide a **perfect combination of high output and efficiency** for all types of professional audio applications. 100% Creston engineered and built, these amplifiers are ENERGY STAR qualified to **enable organizations to fulfill their green initiatives without compromising on audio performance**. Advanced design features include a high-efficiency amp topology with active power factor corrected power supply, delivering a generous amount of power in a space-saving 1U rack-mountable chassis.



AMP-Series All Models

- + Ultra-efficient space-saving design
- + Low total cost of ownership
- + High-output power, low noise, low distortion performance
- + Individual channel power control via jumper or remote contact
- + Auto power-down after 30 minutes of no signal
- + Instant auto power-on when an input signal is detected
- + No inrush current during power-up
- + Over current and DC offset protection per output
- + Thermal protection on the power supply and each channel
- + Front panel signal, clip, and fault indicators per channel
- + Professional balanced inputs
- + Detachable terminal block connectors
- + Rear panel ± 10 dB input level controls
- + Convection cooled - no noisy fans
- + Single-space 1U rack mountable
- + Universal power supply with active power factor correction



AMP-2210S & AMP-3210S

Commercial Power Amplifiers, 4/8 Ω

- + Choice of 2 or 3 channel models
- + Each channel rated 210W@4 Ω and 120W@8 Ω
- + Channels 1 and 2 bridgeable for 420W@8 Ω
- + Lightweight and under 11 inches deep



AMP-2210T & AMP-3210T

Commercial Power Amplifiers, 4/8 Ω or 70V/100V

- + Choice of 2 or 3 channel models
- + Each channel selectable for 4/8 Ω , 70V, or 100V operation
- + Each channel rated 210W@4 Ω , 120W@8 Ω , and 120W@70V/100V
- + Channels 1 and 2 bridgeable for 420W@8 Ω
- + Transformer isolated 70 and 100 Volt outputs
- + Under 15 inches deep



AMP-2210HT Commercial Power Amplifier, 4/8 Ω or High-Power 70V

- + 2 channels
- + Each channel selectable for 4/8 Ω or 70V
- + Each channel rated 210W@4 Ω , 120W@8 Ω , and 210W@70V
- + Under 15 inches deep

Go Anywhere Compact Audio Amplifiers

Crestron MP-AMP Series amplifiers are designed to fit where other amplifiers can't go. They're even **suitable for installation above a plenum-rated ceiling**, perfect for use in classrooms and conference rooms with a single projector or flat panel display. Compact and affordable, these ENERGY STAR® qualified amplifiers feature a smart combination of **energy-saving features to maximize efficiency for a low total cost of ownership.**



NEW! MP-AMP40

Media Presentation Audio Amplifiers, 70V or 100V

- + Compact single-channel power amplifier
- + ENERGY STAR® qualified
- + 40 Watts at 70 or 100 volts (mono)
- + Transformer isolated output
- + High-efficiency Class D topology
- + Energy saving design reduces power consumption when idle
- + Convection cooled for noiseless operation
- + Simple volume, bass, and treble adjustments
- + Electronic short-circuit and overload protection
- + Detachable terminal block speaker connection
- + Balanced line input via detachable terminal block
- + Unbalanced RCA line input
- + Built-in stereo to mono summing
- + Includes surface mounting brackets
- + Suitable for installation within a plenum-rated suspended ceiling



MP-AMP30

Media Presentation Audio Amplifier, 4/8 Ω

- + Compact stereo power amplifier
- + 15 Watts per channel into 8 or 4 Ohms
- + Stereo or mono-summed operation
- + High-efficiency Class D topology
- + Energy saving design reduces power consumption when idle
- + Convection cooled for noiseless operation
- + Simple volume, bass, and treble adjustments
- + Built-in loudness contour circuit
- + Electronic short-circuit and overload protection
- + Detachable terminal block speaker connections
- + Unbalanced RCA line input
- + Integral surface mounting flanges
- + Suitable for installation within a plenum-rated suspended ceiling

Hassle-Free Voice Lift for Classrooms and More

FreeSpeech™ provides an advanced wireless microphone solution designed to deliver reliable, hassle-free operation for K-12 or college classrooms and CaptureLiveHD™ systems. **Just press the “ON” button and go.** FreeSpeech handles everything automatically, letting instructors and presenters **move freely and speak naturally.**



NEW! MP-FS100 PAK FreeSpeech™ Single-Channel Wireless Mic System Package

- + Easy-to-use, highly-reliable speech reinforcement
- + Ideal for K-12 primary education classrooms
- + Includes one wireless mic, charger, and receiver
- + One-piece wireless microphone is incredibly small and light
- + Unobtrusive magnetic lapel clip or lanyard wearability
- + Full operation via buttons built into the mic
- + Mic mutes automatically if the instructor leaves the room
- + Automatically turns down the program source whenever the instructor speaks
- + Sounds natural and maintains consistent speech levels
- + Built-in “Alert” button
- + Advanced 2.4GHz RF + IR wireless technology
- + Prevents interference with adjacent rooms
- + Lasts 6 hours on a single charge
- + Built-in 30 Watt stereo amplifier and line output
- + Two stereo line inputs for a DVD player or computer
- + Built-in master volume, bass, and treble adjustments
- + High-efficiency, energy-saving design

NEW! MP-FS200 PAK FreeSpeech™ Dual-Channel Wireless Mic System Package

- + Adds a second wireless microphone for student participation or a second instructor
- + Includes one tabletop mic stand

Internet Radio — Now with Pandora®

Using the Crestron TunerRack Modular Multi-Tuner, you can have up to 6 independent radio tuners including the choice of AM/FM, XM® Satellite Radio, and Internet Radio — **now supporting SiriusXM® and Pandora®.**



CEN-TRACK TunerRack Modular Multi-Tuner

- + Accepts up to 3 ATC-Series tuner cards: dual AM/FM, AM/FM + XM®, or Internet radio
- + Rich search capabilities find all your favorite radio stations, programs, and music with ease
- + Support for metadata enables display of station names, song titles, artists, and other details
- + Includes balanced, unbalanced, and digital audio outputs
- + Native Crestron® system integration via Ethernet



ATC-AUDIONET Internet Radio Tuner Card

- + Occupies a single tuner slot in a CEN-TRACK
- + Access virtually any streaming radio station in the world
- + **NEW!** Pandora® internet radio with now playing metadata, album cover art, thumbs up/down, and bookmark features
- + SiriusXM® Internet Radio available with subscription
- + Browse by format, location, or language
- + Search alphanumerically or by keyword
- + Save and organize user favorites for fast access
- + Can also be used to play sound files, pre-recorded announcements, or background music stored on its internal memory card or external Web server

Powerful, Scalable Multi-Zone Audio

SONNEX
CRESTRON DIGITAL AUDIO TRANSPORT™

Sonnex™ is simply **the best sounding, most powerful audio distribution solution**

on the market. Featuring high output power, high efficiency, advanced DSP, flexible configuration, and integrator-friendly setup, Sonnex is ideal for restaurants, sports bars, night clubs, hotels, banquet halls, and custom homes. **Sonnex is engineered to integrate perfectly with DigitalMedia™** to form a total media distribution solution with minimal wiring — and minimal headaches.

Sonnex is fully scalable using expansion units that can be placed centrally or remotely, with **simple hookup using a single shielded CAT5e or fiber optic cable.** Start with the SWAMP-24X8 at your head end, and add up to eight SWAMPE or SWE expanders for an astounding 74 stereo zones of robust, audiophile sound quality. A generous 24 inputs are provided at the head end to handle analog and digital sources.

NEW! features include an expanded assortment of digital and analog line level outputs via the SWE-8 expansion switcher, support for driving 70V or 100V speaker lines via the SAT-70V/100V output transformer, and Sonnex Link signal extension using the S-EXT1-S fiber extender.



SWAMP-24X8 Sonnex™ Multiroom Audio System

- + Advanced multi-zone audio distribution
- + Robust, high-efficiency audiophile grade amplification
- + 140 Watts/Ch. @ 8 Ohms, 400 Watts/Ch. Bridged
- + Eight amplified stereo zone outputs
- + Two additional SPDIF stereo zone outputs
- + Output Bussing—Link multiple adjacent zones
- + Bridgeable outputs—Extra power for large or noisy areas
- + Sonnex Link—One-wire interface to 8 expanders up to 200 feet away
- + Balanced, unbalanced, and SPDIF inputs

- + Direct connection to Crestron Interface for iPod®
- + Volume, bass, treble, loudness, and selectable “tone profiles”
- + 5-band graphic or parametric EQ per zone
- + Dynamic Range Control—Maintains even listening levels
- + Speaker Profiles—Preset speaker settings for fast, easy commissioning
- + Sonnex Speaker Protect™—Extends headroom while preventing damage
- + Energy-saving individual zone power control and global standby
- + Streamlined setup and adjustment
- + Remote fault monitoring
- + Seamless Crestron system integration
- + Heavy duty detachable terminal blocks
- + Low power consumption, cool-running operation
- + Compact 4-space 19” rack-mountable

Four and 8-zone expanders for Sonnex™ Multiroom Audio



System (SWAMP-24X8). Add 4 or 8 stereo amplified zones supporting full room control and source selection, with advanced DSP, speaker profiles, output bussing, mono summing, amplifier bridging and monitoring. While the main SWAMP-24X8 unit resides in the central equipment rack, the SWAMPE Expanders are designed for installation at a remote location near the rooms it serves. Minimizes speaker wiring for higher performance and efficiency, and faster, easier and less expensive installations.

SWAMPE-4 & SWAMPE-8 Sonnex™ Multiroom Audio Expanders

- + Adds four or eight amplified stereo zone outputs
- + Provides same performance and room functionality as the SWAMP-24X8
- + Connects to SWAMP-24X8 via a single shielded CAT5e
- + Receives up to 24 sources from over a single shielded CAT5e
- + Three-space rack mountable
- + Save time and money on installations



NEW! SWE-8

Sonnex™ Multiroom Audio Expansion Switcher

- ✦ Unamplified 8-Zone Sonnex expansion with line-level outputs
- ✦ 4 zones with balanced and unbalanced line outputs
- ✦ 4 zones with SPDIF digital outputs
- ✦ All 8 zones also include Crestron Home® CAT5 balanced outputs
- ✦ Professional-quality audio performance
- ✦ Advanced DSP, mono summing, and output bussing per zone
- ✦ Single-cable interface to SWAMP-24X8 via Sonnex Link
- ✦ Plug-and-play operation
- ✦ Single-space rack mountable



NEW! SAT-70V/100V Sonnex™ Output Transformers

- ✦ Allows the use of 70 or 100 Volt speakers with any Sonnex™ system
- ✦ Enables the connection of multiple speakers to a single amplifier output
- ✦ Enables the use of small gauge wire for long runs
- ✦ Provides full transformer isolation
- ✦ Rated 120 Watts at 70 or 100 Volts per channel
- ✦ 40 Hz to 20 kHz (± 1 dB) frequency response
- ✦ 2 and 4 channel models available
- ✦ Single-space rack mountable



NEW! S-EXT1-S Sonnex™ Link over Fiber Extender

- ✦ Extends the Sonnex Link up to 2000 ft over one multimode fiber strand
- ✦ Works reliably without any programming or configuration
- ✦ Transports 24 stereo channels of digital audio
- ✦ Also carries Sonnex control signals
- ✦ Protects against lightning surges for outdoor runs

SONNEX
CRESTRON DIGITAL AUDIO TRANSPORT™

World Class Surround Sound — Designed for Integration

PROCISE™ PROCISE® delivers a high-definition 7.3 surround sound solution for high-end boardrooms and custom theater installations. Using the finest components and a propriety combination of advanced features and innovative technologies, PROCISE fulfills the myriad design challenges and performance expectations of the high-end custom market.



PSPHD PROCISE® High-Definition Professional Surround Sound Processor

- + 7.3 HD surround sound processing
- + Multiple subwoofer support
- + Audyssey MultEQ® XT technology
- + Audyssey Dynamic EQ® and Dynamic Volume®
- + HDMI® connectivity
- + HD 1080p video switching
- + Studio grade performance
- + Supports Dolby® TrueHD and DTS-HD Master Audio™ 7.1 formats
- + QuickSwitch HD® key management and switching
- + Discrete signal processing for every speaker and subwoofer
- + Integrated 3-channel line mixer and speech processor
- + Mono and stereo down-mix outputs
- + Flexible routing of any mixer input to any output
- + Inputs for HDMI, AES/EBU, S/PDIF optical and coaxial sources
- + Inputs for stereo and multi-channel analog sources
- + XLR balanced inputs and outputs
- + Exclusive PROAMP automatic amplifier pairing
- + Native Crestron control
- + Crestron PROCISE Tools software
- + DigitalMedia™ system integration



PROAMP-7X250 & PROAMP-7X400

PROCISE® High-Definition Professional Surround Sound Amplifiers

- + World-class, professional 7-channel surround sound power amplifiers
- + Choice of 250 or 400 Watts per channel
- + Unprecedented integration with the PSPHD for seamless control and monitoring
- + Native Crestron system integration via Ethernet or Cresnet®
- + Ultra-efficient hybrid design puts immense output power in minimal space
- + The benefits of Class D with the warm, neutral sound quality of Class AB
- + Infinitesimal noise and THD affords pure, natural audio reproduction
- + Robust, isolated channel power supplies ensure maximum dynamic impact
- + DC coupling affords ultimate transparency and frequency response
- + Inrush current limiting for gentle power-up
- + Front panel signal, clip, and fault indicators
- + Expanded monitoring of temperature, faults, and signal status from PSPHD or control system
- + Heavy duty detachable terminal blocks ease speaker wire termination
- + 24k gold-plated XLR balanced inputs
- + Five-space 19" rack-mountable

7.1 Surround Sound for Every Room

The new HD-XSP makes it easy and affordable to include **high-quality surround sound in any room of the house** as part of a complete Crestron Sonnex™ or DigitalMedia™ distribution system.



NEW! HD-XSP 7.1 High-Definition Professional Surround Sound Processor

- ✦ True 7.1 surround sound via HDMI® and balanced analog out
- ✦ High-resolution 24-bit audio signal processing and conversion
- ✦ DTS-HD®, Dolby® TrueHD, and Dolby Digital Plus decoding
- ✦ High-definition 3D video pass-thru via HDMI®
- ✦ 100% HDCP compliant
- ✦ QuickSwitch HD® technology for fast, reliable switching
- ✦ Stereo downmix via HDMI and/or balanced analog outputs
- ✦ 1 HDMI, 1 SPDIF optical, 2 SPDIF coaxial, and 2 analog inputs
- ✦ Balanced stereo audio mix input for sound reinforcement, paging, doorbell, or phone ringer signals — feeds left, right, and downmix outputs
- ✦ Source compensation and lip sync adjustment on every input
- ✦ Independent level, delay, crossover and parametric EQ adjustments on every surround output
- ✦ Volume, bass, treble, loudness, and compression settings for surround zone
- ✦ Volume, bass, treble, loudness, and mono settings for downmix zone
- ✦ Versatile bass management for systems with or without a subwoofer
- ✦ Color LCD front panel for setup and basic operation
- ✦ Native Crestron® system integration
- ✦ 10/100 Ethernet communications
- ✦ Simplified setup via front panel or software
- ✦ CEC pass-through from a control system via HDMI
- ✦ Single-space rack-mountable

Enjoy Your iPod Throughout The House

Crestron docking solutions for the popular Apple® iPod® let you instantly enjoy music and podcasts through speakers in any room with enhanced navigation using a Crestron touch screen, iPhone®, iPad®, or Android™ smart device.



CEN-IDOCV & CEN-IDOCV-DSW Interfaces for Apple® iPod®

- ✦ Enables full 2-way touch screen control of the iPod
- ✦ Displays metadata and album cover art
- ✦ Plays audio throughout the home
- ✦ Allows viewing of video files on a video touch screen or display
- ✦ Syncs to iTunes® over Ethernet
- ✦ Charges the iPod battery
- ✦ PoE network powered
- ✦ Interfaces with a Sonnex™ system via CAT5 wire
- ✦ Available in white or black

Budget-Conscious Multiroom Audio

The C2N-AMP-4X100 delivers **cost-effective audio distribution for up to 16 rooms** — perfect for small to moderate sized houses, condominiums, and businesses.



NEW! C2N-AMP-4X100 4 Room Audio System

- + Affordable audio distribution for 4 rooms, expandable up to 16 rooms
- + Integrated amplifier delivers 50 W/Ch. @ 8Ω and 75 W/Ch. @ 4Ω
- + Room outputs 1&2 and 3&4 each bridgeable for 100 W/Ch. @ 8Ω
- + Independent control of volume, bass, treble, and other settings per room
- + Six stereo line inputs with loop-thru for easy expansion
- + Front panel controls for source selection and volume control
- + Customizable front panel labelling using Crestron Engraver software or pre-printed labels provided
- + Crestron® system integration via Cresnet®
- + Built-in Cresnet power distribution

Next Generation ADMS-G2

The ADMS-G2 is the latest generation ADMS featuring **a leaner, greener package with enhanced performance and many new features** including Pandora® Internet radio, VUDU®, expanded audio output capabilities, support for 3D, and new networking and control capabilities.



NEW! ADMS-G2 Intermedia Delivery System™

- + A new evolution in home entertainment that simplifies how digital media content is acquired and managed
- + Provides seamless access to feature films, music, TV shows, streaming videos, photos & home movies, and the Internet
- + WorldSearch® quickly finds any kind of content from your local media library and the Internet
- + Stylish and intuitive onscreen menus with high-res cover art and metadata display
- + Netflix®, VUDU®, Hulu®, YouTube®, Pandora® and more!
- + Web browser with Flash® and Silverlight® plug-ins
- + HDMI® digital AV theater zone output
- + True HD 1080p video with 3D, Deep Color, and HDCP support
- + DTS-HD®, Dolby® TrueHD, Dolby Digital Plus, or PCM 7.1 surround sound up to 192k/24-bit
- + Two additional stereo audio zone outputs
- + Simultaneous S/PDIF and analog audio signals from all zones
- + Stereo downmix of multi-channel surround sound
- + Support for FLAC, WAV, WMA Lossless, iTunes Plus® & MP3
- + 1 TB internal hard drive optimized for HD multimedia
- + Expandable storage via NAS or Windows® Home Server
- + ADMS Connect® software enables easy media upload and synchronization with Windows PC or Mac®
- + Crestron Home® GUI enables onscreen control over lighting, climate, security, and AV
- + Enhanced touch screen browsing and control from any room
- + CEC pass-through from the control system via HDMI
- + Wake on LAN and remote shutdown
- + Gigabit Ethernet connectivity
- + Compact 2-space 19" rack-mountable chassis

Crestron is not responsible for errors in typography or photography. Specifications are subject to change without notice.

3-Series, 3-Series Control System, ADMS, AIR, Ascent, Cameo, Capture HD, CaptureLiveHD, Core 3, Core 3 OS, Core 3 UI, CresFiber, Cresnet, Crestron, Crestron Design Studio, Crestron Fusion, Crestron Green Light, Crestron Home, Crestron Mobile, Crestron Mobile Pro, Crestron Toolbox, DigitalMedia, DigitalMedia 8G, DigitalMedia 8G+, DM, DM 8G, DM 8G+, e-Control, Excite, FlipTop, FreeSpeech, Fusion EM, Fusion RV, Green Light Express, iLux, infINET, infINET EX, Instant-Waking, Integrated by Design, PROCISE, QuickSwitch HD, Rava, RoomView, Saros, Smart Sizing, SmartObjects, Sonnex, Sonnex Speaker Protect, V-Panel, V-Panels, VT Pro-e, and the Crestron logo are either trademarks or registered trademarks of Crestron Electronics, Inc. in the United States and/or other countries.

BACnet is either a trademark or registered trademark of American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc. in the United States and/or other countries. Apple, iPad, iPhone, iPod, iPod touch, and Mac are either trademarks or registered trademarks of Apple Inc. in the United States and/or other countries. Armstrong and DC FlexZone are either trademarks or registered trademarks of Armstrong World Industries, Inc. in the United States and/or other countries. Audyssey MultEQ, Audyssey Dynamic EQ, and Audyssey Dynamic Volume are either trademarks or registered trademarks of Audyssey Laboratories, Inc. in the United States and/or other countries. R25 is either a trademark or registered trademark of CollegeNET in the United States and/or other countries. Dolby is either a trademark or registered trademark of Dolby Laboratories in the United States and/or other countries. DTS and DTS-HD Master Audio are either trademarks or registered trademarks of DTS, Inc. in the United States and/or other countries. EMerge Alliance is either a trademark or registered trademark of the EMerge Alliance in the United States and/or other countries. Android is either a trademark or registered trademark of Google Inc. in the United States and/or other countries. HDBaseT is either a trademark or registered trademark of Valens Semiconductor Ltd. in the United States and/or other countries. HDMI and the HDMI Logo are either trademarks or registered trademarks of HDMI Licensing LLC in the United States and/or other countries. Lotus Notes is either a trademark or registered trademark of IBM in the United States and/or other countries.

MICROS is either a trademark or registered trademark of MICROS Systems, Inc. in the United States and/or other countries. Internet Explorer, Microsoft, Outlook, SQL Server, and Windows are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Pandora is either a trademark or registered trademark of Pandora Media, Inc. in the United States and/or other countries. SiriusXM and XM are either trademarks or registered trademarks of Sirius XM Radio Inc. in the United States and/or other countries. Somfy is either a trademark or registered trademark of Somfy Systems, Inc. in the United States and/or other countries. ENERGY STAR is either a trademark or registered trademark of the United States Environmental Protection Agency in the United States and/or other countries. Guidebar is either a trademark or registered trademark of Waveguide Consulting, Inc. in the United States and/or other countries.

Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others.

©2013 Crestron Electronics, Inc.



Products manufactured in the United States. Printed in USA D4543B 2013-4

All brand names, product names, and trademarks are the property of their respective owners. Certain trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography. ©2013 Crestron Electronics, Inc.